## **KELSEY'S**

## Hardy American Plants Rhododendrons, Azaleas, and Specimen Evergreens

#### Catalog of BOXFORD NURSERY Boxford, Massachusetts

#### Catalog of HIGHLANDS NURSERY II.

3,800 FEET ELEVATION

Pineola, North Carolina

AT BOXFORD NURSERY (East Boxford, P. O.), on the Georgetown branch of the B. & M. R. R., may be seen growing the choicest collection of specimen nursery stock, selected for the most discriminating buyers. Special attention is given to hardy native plants, which must always be the basis of successful permanant plantings.

SPECIMEN STOCK. There is a growing demand for fine specimen stock in Conifers, Rhododendrons, Kalmias, Andromedas, and other evergreens, and Boxford Nursery is established to supply

Landscape architects, park and cemetery superintendents, and the owners of large estates will find it of great advantage to visit Boxford Nursery and personally select material in the nursery row.

Boxford Nursery and personally select material in the nursery row. PRICES are made to fit the quality of stock sent out. Few realize that the real value of nursery stock is largely underground. Frequent transplanting, and handling specimens with adequate, burlaped balls, means success and quick results. It costs more, but it is the fixed policy of the Boxford Nursery; and "cheap" stock will not be handled or sent out. The best is always the cheapest. HIGHLANDS NURSERY SHIPMENTS are made from Pineola, N. C., freight station, and prices in this list are made on this basis. Freight and express rates gladly quoted. Via Norfolk steamship lines, deliveries to northern and eastern points are quick and rates are low.

and rates are low.

SHIPMENTS OF "COLLECTED" RHODDENDRON MAXIMUM and KALMIAS are from my special fields in Pennsylvania and the South, depending on destination and quality of stock desired. The best clumps come from the South, from high altitudes. "Collected" Rhododendron catawbiense comes only from the South.

MY NURSERIES ARE UNIQUE, being the first to grow Native American Ornamentals, and having the only large and complete stock of Hardy American Plants in existence.

SHIPPING BEGINS IN AUGUST, when I send out large Rhododendrons, Kalmias, and other evergreens, and bulbs and herbaceous plants, general stock going out in October and November; and in spring from about March I to May 15. Give shipping instructions, unless you wish to leave it to me, when I use my best judgment, but assume no risk.

**EXPORT SHIPMENTS** reach the most remote countries in perfect condition. I have exported for over twenty-five years, and know how to pack. Quarantine and the great war, however, have left open practically only Holland and Great Britain to our shipments

**DESCRIPTIVE CATALOGS**, illustrated, are mailed on request, and advice on the right way to grow Rhododendrons, Azaleas, and other native plants is gladly given. Send for "How to Grow Rhododendrons Successfully."

VISITORS ARE ALWAYS WELCOME. Boxford Nursery is easily reached by train or automobile, and Mr. Kelsey will be glad to meet prospective customers at the nursery by appointment.

A visit to Boxford Nursery during the blooming season of Rho-dodendrons and Azaleas is especially worth while.

## HARLAN P. KELSEY, Owner

Office, Hawthorne Bldg., 209-A Washington St., SALEM, MASS.

**Telephone Connection** 

## CATALOG OF BOXFORD NURSERY

NOTE: All plants are transplanted and nursery-grown unless plainly marked otherwise.

The larger sizes are always shipped with balls and are burlaped, which means they will grow.

Special selection is always charged at special price. The prices in this catalog cover the average good grade as they run in the nursery row. Where specimens are picked, a run in the nursery row. Where speciprice will be made to fit the specimen.

## **Evergreen Trees and Shrubs**

- 0				
	Each	10	100	1,000
Abies arizonica. 4 to 5 ft	\$5 00	***		
Abies arizonica. 4 to 5 ft	1 00	\$8 00		
		27 50		
0 to 0 ft	9 00	80 00		
8 to 18 ft	15 00	135 00		
5 to 6 ft				
fraseri. Fraser's Fir. An unusua fine lot of this splendid Fir.	ally			
fine lot of this splendid Fir.	The			
attention of nurserymen is par	the			
heat Fir of this type that is gro	wn			
in this country. The sizes lis	ted			
attention of nurserymen is par ularly called to Abies fraseri as best Fir of this type that is gro in this country. The sizes lis below are especially bushy a	and			
well-rooted.			04 00	005 00
3 to 6 in., seedlings			\$4 00 7 00	\$35 00 60 00
4 to 6 in			8 00	70 00
6 to 8 in	45	4 00	30 00	
1½ to 2 ft	1 25	10 00	80 00	
3 to 4 ft	1 75	15 00	130 00	
4 to 5 ft 5 to 6 ft	2 25	20 00	180 00	
5 to 6 it	3 00	25 00 40 00	200 00	
6 to 8 ft		40 00		
8 to 14 ft., specimens, up homolepis. 4 to 5 ft	4 50	40 00		
D IO O II	0 00	65 00		
5 to 6 ft		O.W. 000		
2 to 3 ft	3 00	25 00		
3 to 4 ft	4 00	35 00 50 00		
veitenii. 4 to 3 it	8 00	50 00		
6 to 8 ft	10 00			
8 to 10 ft	15 00			
6 to 8 ft	eris			
floribunda.		F 00	40.00	
Arctostaphylos uva-ursi. 1 yr. Pots Buxus arborescens. Tree Box. 6 to 8	8 in. 20	5 00 1 50	40 00 12 00	
Buxus arborescens. 1 ree box. 0 to c	varf	1 00	12 00	
Box 4 to 7 in.	15	1 00	7 00	60 00
Cedrus deodara. 6 to 10 in	35	3 00	20 00	
libani. 6 to 12 in	35	3 00	05.00	1
Bux 4 to 7 in.  Cedrus deodara. 6 to 10 in.  libani. 6 to 12 in.  Chamædaphne calyculata. 9 to 12	in. 40	3 00 4 00	25 00	
1 00 1/2 100	50	4 00	7 00	
Cupressus lawsoniana. 4 to 8 in Dendrium. See Leiophyllum.		100	100	
	60	5 00	40 00	
Hypericum aureum. 1 to 11/2 ft	30	2 50		
1½ to 2 ft	50	4 00 1 75		
densifiorum. 1 to 2 It	35	3 00		
### The state of t	20	1 50		
Ilex glabra. Small clumpy stock crenata. 1 to 1½ ft	40	3 50	30 00	
crenata. 1 to 11/2 ft	1 60	15 00		
1½ to 2 ft	2 25	20 00		
onaca. I ff	10	6 00		
(argentes) 1 to 116 ft.	75	6 00		
chinensis pfitzeriana. 2 to 3 ft	1 50	12 50		
chinensis procumbens. 1½ to 2	ft 1 00	9 00		
communis aurea. Golden Comi	mon	0 50		
Juniper. 2 to 3 ft	1 50	19 50		
Tuning communic depressa	Prostrate	Juniner	Withou	it doubt
this is the best prostrate form	of Junipe	r for grou	ind-cover.	It is at
Juniperus chinensis albo-varieg (argentea), 1 to 1½ ft. chinensis pfitzeriana. 2 to 3 ft chinensis procumbens. 1½ to 2 communis aurea. Golden Com Juniper. 2 to 3 ft  Juniperus communis depressa. this is the best prostrate form home on sandy or gravelly hill single plants often reach a diar does well where other shrubs looser covering, however, than the completely prostrate type high. We have several thouse from, up to 8 feet in diameter.	sides, fully	y exposed	to the su	n, where
single plants often reach a diar	meter of 1	o feet or	thrive	snade it
does well where other shrubs	in the or	en It v	aries in fo	orm from
the completely prostrate type	to the a	scending	type. 2	to 4 feet
high. We have several thouse	and trans	planted s	pecimens	to select
from, up to 8 feet in diameter.				3.00
		Each	3.0	\$30 00
6- to 12-in. spread		\$0 50	\$4 00 6 00	50 00
1- to 1 ½-it. spread		1 2	10 00	90 00
2- to 3-ft, spread		1 25	15 00	130 00
1½ to 2-ft. spread 2- to 3-ft. spread 3- to 4-ft. spread Larger specimens up to		2 50	20 00	180 00
Larger specimens up to		15 00		
	)			

EVERGREEN TREES AND SHRUBS, continued	100
Each 10	100
Juniperus communis prostrata. 2 to 3 ft\$0 75 \$6 00	200
communis aurea. Golden Japanese Juniper.	
2 to 3 ft 2 00 15 00	
3 to 4 ft	\$40 00
1½- to 2-ft. spread	80 00
sabina tamariscifolia. Grey Carpet Juniper.	00 00
1- to 1½-ft. spread 1 75 15 00	
1½- to 2-ft. spread	
virginiana. Red Cedar. This is a specialty at Boxford Nursery and I can supply almost any size trees that are sure to live. We have	
any size trees that are sure to live. We have	
made some notable plantings of large Cedars	
in the vicinity of Boston recently and with	
uniform success. 1 to 2 ft	40 00
2 to 3 ft 1 00 8 00	75 00
3 to 4 It 1 50 12 00	100 00
4 to 5 ft	160 00
5 to 6 ft	
7 to 8 ft	
8 to 10 ft	
10 to 12 ft	
12 to 14 ft	
virginiana elegantissima. 3 to 4 ft 2 50	
4 to 5 ft 3 50	
virginiana glauca. Blue Virginia Cedar.	
1 to 1½ ft 1 50 12 50	
2 to 3 ft. 2 50 22 50 3 to 4 ft. 3 50 30 00	
virginiana globosa. 1 to 1½ ft	
virginiana schotti. 1 to 1½ ft 1 25 12 00	
2 to 3 ft 2 00 18 00	
Kalmia angustifolia. Narrow-leaved Laurel.	
6 to 12 in	20 00
latifolia. Mountain Laurel. The season has been particularly	favora-
offered a finer lot of Kalmia latifolia then this year. In the	ve never
ble for the growth of Kalmias and Rhododendrons, and I har offered a finer lot of Kalmia latifolia than this year. In the stock from 1 to 3 feet they are feathered to the ground and wall-budded.	l mostly
	1,000
1 to 1 ½ ft \$0 60 \$5 00 \$40 00 1½ to 2 ft 80 7 00 60 00	
9 to 12 in., clumps 1 00 8 00 75 00	\$700 00
1 to 1½ ft., clumps 1 25 10 00 90 00	800 00
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
2 to 3 ft., clumps 3 50 32 50 300 00 3 to 4 ft., clumps 4 50 40 00 375 00	
Ledum latifolium. 8 to 10 in 25 2 00 18 00	
Leiophyllum buxifolium. Sand	
Myrtle. 6- to 9-in. spread 30 2 50	
prostratum. 3- to 6-in. spread 50 4 00 35 00	
6- to 9-in. spread	
Leucothoe catesbæi. My stock of this broad-leaved border plant best I have ever had and the larger sizes will give immediate	it is the
best I have ever had and the larger sizes will give immediat All the heavy clumps come balled, and where the large s	izes are
deed in quantity it is prescrable to forward in car sinpments	5.
Each 10 100	1,000
6 to 12 in	
1½ to 2 ft 1 50 12 50 110 00	
2 to 3 ft 2 25 20 00 190 00	
Pachysandra terminalis. 6 to 9 in 25 1 75 15 00	
Picea alba (canadensis). White Spruce.	
2 to 3 ft	
4 to 5 ft 3 00 25 00	
5 to 6 ft 4 50 40 00	
6 to 7 ft	
alba glauca. Dwarf form. 4 to 5 ft. 5 00 40 00	
5 to 6 ft 8 00	
alcockiana. 3 to 4 ft	
4 to 5 ft	\$60 00
engelmanni. 0 to 8 in	000 00
nigra (mariana). Black Spruce.	
3 to 4 ft 2 00 17 50	
4 to 5 ft. 3 00 27 50 orientalis. 2 to 3 ft. 2 25 20 00	
3 to 4 it 3 00 27 50	
pungens. Green Colorado Spruce.	00.00
4 to 8 in	60 00
1½ to 2 ft	
3 to 4 ft 3 00 25 00	
4 to 5 ft 4 00 35 00	
5 to 6 ft	

EVE	RGREEN T	REES AN	ID S	HRU	JBS,	coı	atinu	ed	
Picea punge	ns kosteri.	Koster's B	lue E	ach	10		100		
Spruce	. 1 to 1 1/2 ft 1 1/2 to 2 ft		\$2	50	\$22 8	50 3	\$200	00	
	2 to 3 ft		4	50	40 (	00	375	00	
	3 to 4 ft 4 to 5 ft		6	00	50 C				
	5 to 6 ft		10	00	95 (				
	6 to 7 ft		12	50		-			
rubra. Re	d Spruce. 1 2 to 3 ft	to 2 ft	1	75	6 (				
sitchensis	Sitke Spru	ce 3 to 4 f	ft 3	00					
Pieris (Andreas	romeda) flo	ribunda.	Thes	e pla	ants s	are	feath	ered	to the
ground	and a mass	of buds. I	t is de	oubtf	ful if t	her	e has	bee	n such a
strictly	American-g	rown stock	and i	s not	troub	oled	with	the	peculiar
wilting	off which at	ffects Dutch	h-grov	wn st	ock.				
	6- to 9-in. sp	read	80	sch 80	\$7 (	00	\$60		1,000
	9- to 12-in. s	spread	1	00	8 (	00	70	00	
	1- to 1 ½-ft. 1½- to 2-ft.	spread	1 2	50	$\frac{12}{22}$ 5	50	100	00	
	2- to 3-ft. sp				30 0				
japonica.	Japanese Fe	tter Bush.							
	1 to 1½ ft 1½ to 2 ft		$\frac{1}{2}$	75 50		00			
Dinne anete	1 /2 to 2 It.	on Pino		00	20 0	,,,			
Pinus austr	1 to 1 1/2 ft	an rine.		50	4 (	00	30	00	
cembra.	Swiss Stone I								
	9 to 12 in		1	00	8 (		70		
	1 to 1 ½ ft 1½ to 2 ft		$\frac{1}{2}$	50	12 3	50	100		
	2 to 3 ft		2	50		50	200	~~	
densiflora	Japanese F 8 to 12 in	Red Pine.						00	## 00 00
	8 to 12 in			20 40		50 50	12 18		\$100 00 150 00
	12 to 15 in 2 to 3 ft		1	50	12 (	00	100		200 00
	3 to 4 ft		2	25	20 (	00	180	00	
divaricata	(banksians			20	1 :	50	12	00	100 00
	6 to 12 in 12 to 15 in			30	2		18		100 00
	3 to 4 ft		1	00	8		150	00	
	4 to 6 ft 6 to 8 ft				18 (		150 250		
	8 to 10 ft		5	00	40	00		-	
4 45	10 to 12 ft		7		60 (				****
flexilis. L	imber Pine. 1 to 1½ ft	4 to 9 in		20 75		75 00	15	00	100 00
	2 to 3 ft		1	50		00			
	3 to 4 It		4		18	00			
	5 to 6 ft			25	1	50	12	00	100 00
massoma	na. 6 to 8 in 8 to 12 in			40	3		20		180 00
monticols	. 2 to 4 in			25	1	50			
mughus.	Dwarf Pine.	2 to 4 in.		20		00		00	60 00
	1- to 1½-ft. 1½- to 2-ft.	spread		75 75		00	60 140	00	
	2- to 3-ft. sp	read	2			00	180		
murrayan	a. Lodge-po	ole Pine.			7	0.11	-	00	00.00
1	8 to 12 in 4 to 6 ft			20	12	25	10	00	80 00
	6 to 8 ft		2		18		160	00	
	8 to 10 ft		4						
ponderos	Bull Pine.	6 to 9 in		25 35	1 3	50	12 20		100 00
	9 to 12 in 2 to 3 ft		1		10		20	00	
	3 to 4 ft		2		15				
	4 to 5 ft		4	1 00	35	00			
pungens.	Table Mour 5 to 6 ft		1	50	12	00			
	6 to 8 ft		2	2 50	20	00			
	8 to 10 ft			25	35		10	00	150 00
resinosa.	Red Pine. 4 6 to 12 in			40		00		00	100 00
	1 to 1 1/2 ft 1 1/2 to 2 ft			60		00		00	
	1½ to 2 ft 2 to 3 ft			80	10	50		00	
rigida D	itch Pine. 2			60		00		00	
Aigitan. I	3 to 4 ft			1 00	- 8	00	70	00	
	4 to 5 ft			1 50	12 25	00	100	00	
	5 to 6 ft 6 to 7 ft			5 00	40				
strobus.	White Dine	A large of	took						
of 6-	to 12-inch se	edlings at	\$10						
per 1	an 1.000 or	at \$9 per 1	,000						
in 10,	to 12-inch se ,000 net, in nan 1,000, or 000 lots. To from 10,000	anyone wis	hing						
to use	from 10,000 ed 6- to 12-in	to 25,000 tr	will						
	a very low pr								
			4						

# KELSEY'S HARDY SPECIMEN EVERGREENS Catalog of BOXFORD NURSERY

EVERGREEN TREES ANI			UBS, co	ntinued	
Prices of Pinus strobus		ich	10	100	1,000
6 to 12 in 1 to 1½ ft	. 30	15	\$0 40 1 25	\$3 50 9 00	\$30 00 80 00
1 to 1½ ft		35 60	2 50	20 00	180 00
2 to 3 ft	. 1	25	10 00	30 00 70 00	250 00 500 00
4 to 5 ft	. 2	50	20 00	175 00	
5 to 6 ft	. 4	00	35 00	325 00	
\$9 to	12		2 44		0.00
sylvestris. Scotch Pine. 2 to 3 ft	. 1	75	6 00 8 00	45 00 70 00	350 00
4 to 5 It	- 1	50	12 50	100 00	
5 to 6 ft	. 2		18 00 30 00	175 00 275 00	
o to 10 it., specimens. \$4 t	0 8	00	00 00	210 00	
thunbergi. 4 to 6 in		25	1 50	12 00	100 00
6 to 8 in	. 1	35 25	3 00	20 00	
Pseudotsuga. douglasi (taxifolia					
Douglas Spruce, 6 to 12 in.		35 60	3 00 5 00	25 00 40 00	200 00
1 to 1½ ft	. 1	00	8.00	70 00	
2 10 0 10	. 1		12 50	100 00	
3 to 4 ft 4 to 5 ft	. 3		18 00 25 00	160 00	
5 to 6 ft Larger specimens, 6 to 1	. 5		45 00		
ft	15	00			
douglasi glauca. 1 to 1½ ft		00	9 00		
Retinispora obtusa gracilis.	-	00	0.00		
6 to 12 in	: 1	50	9 00 12 50		
obtusa nana. 6 to 12 in	. 1	75	15 00		
ohtusa nyamma 6 to 10 in	. 2		22 50		
obtusa pygmæa. 6 to 12 in pisifera. 3 to 4 ft			12 50		
5 to 6 ft., specimens	. 6	00	50 00		
pisifera aurea. 4 to 5 ft	. 3		25 00		
7 to 8 ft		00			
soni). 9 to 12 in., clumps 1 to 1½ ft., clumps	. 1	00	8 50		
1 to $1\frac{1}{2}$ ft., clumps $1\frac{1}{2}$ to 2 ft., clumps	. 2	00	18 00		
21 1 0 1 10 1		200 M	6 00	50 00	
1 to 1½ ft	. 1	00	8 00	19	
1 40 117 64 -1	- Ch	00		150 00	
1 to 1½ ft., clumps 1½ to 2 ft., clumps	. 2	00 50	17 50	150 00 300 00	
1 to 1½ ft., clumps 1½ to 2 ft., clumps 2 to 3 ft., clumps	. 2	00 50 00	17 50 32 50 50 00	150 00 300 00	
1 to 1½ ft., clumps 1½ to 2 ft., clumps 2 to 3 ft., clumps 3 to 4 ft., clumps 4 to 6 ft. clumps. \$12 ft.	. 2 . 3 . 6 . 10	00 50 00 00	17 50 32 50		
1 to 1 ½ ft., clumps.   1 to 1 ½ ft., clumps.   1 ½ to 2 ft., clumps.   1 ½ to 3 ft., clumps.   2 to 3 ft., clumps.   3 to 4 ft., clumps.   4 to 6 ft., clumps.   5 to 2 to 3 ft., clumps.   4 to 6 ft., clumps.   5 to 2 to 3 ft., clumps.   5 to 2 to 3 ft., clumps.   5 to 6 ft., clumps.	12 02	IIIO I	17 50 32 50 50 00 90 00 beautiful	300 00 Rhododen	dron are
perfect and mostly feathered fro	m	the	17 50 32 50 50 00 90 00 beautiful	300 00 Rhododen	of buds.
perfect and mostly feathered from the highest mountains will be seen as the highest mountains as the highest mountains as the highest mountains are the highest mountains.	m 1	the	17 50 32 50 50 00 90 00 beautiful ground ar mum. A c sizes up t	Rhododen	of buds. ype from
perfect and mostly feathered from the highest mountains will be steered.	R. n	the in axi	17 50 32 50 50 00 90 00 beautiful ground ar mum. A c sizes up t	Rhododen ad a mass compact to 3-foot co	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than the highest mountains will be steeded.  9 to 12 in	R. n ent Ea . \$0	the axi in the 50	17 50 32 50 50 00 90 00 beautiful ground ar mum. A c sizes up t 10 \$4 00 17 00	Rhododen da mass compact to 3-foot of 100 \$35 00 125 00	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be stated.  9 to 12 in	Ea. \$0	the naxi in the 50 75 50	17 50 32 50 50 00 90 00 beautiful ground ar mum. A c sizes up t 10 \$4 00 17 00 22 50	Rhododen da mass compact to 3-foot of 100 \$35 00 125 00 200 00	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be something that the samuch free	Ea. \$0 . 1 . 2 . 3 . 5	the naxi in the 50 75 50	17 50 32 50 50 00 90 00 beautiful ground ar mum. A c sizes up t 10 \$4 00 17 00 22 50 32 50	Rhododen da mass compact to 3-foot da 100 \$35 00 125 00 200 00 300 00	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be something that the samuch free	Ea. \$0 . 1 . 2 . 3 . 5	the naxi in the 50 75 50	17 50 32 50 50 00 90 00 beautiful ground ar mum. A c sizes up t 10 \$4 00 17 00 22 50	Rhododen da mass compact to 3-foot of 100 \$35 00 125 00 200 00	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be so desired.  1 to 1½ ft., clumps	Ea. \$0 . 1 . 2 . 3	the naxi in 50 75 50 00 00	17 50 32 50 50 00 90 00 beautiful ground ar mum. A c sizes up t 10 \$4 00 17 00 22 50 32 50 45 00	Rhododen ad a mass compact to 3-foot of 100 \$35 00 125 00 200 00 300 00 425 00	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be so desired.  9 to 12 in	Ea. *0 . 1 . 3 5 8 8	the naxi in 50 75 50 00 00	17 50 32 50 50 00 90 00 beautiful ground ar mum. A c sizes up t 10 \$4 00 17 00 22 50 32 50 45 00	Rhododen ad a mass compact to 3-foot of 100 \$35 00 125 00 200 00 300 00 425 00	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be so desired.  9 to 12 in. 1 to 1½ ft., clumps. 1½ to 2 ft., clumps. 2 to 3 ft., clumps. 3 to 4 ft., clumps. 4 to 5 ft., clumps. 3 to 7 ft., specimens, from the samuch from the	Ea. **0 . 1 . 3 5 8 15 8	the iaxi in 50 50 50 00 00 00	17 50 32 50 50 00 90 00 beautiful ground ar mum. A c sizes up t 10 \$4 00 17 00 22 50 32 50 45 00	Rhododen ad a mass compact to 3-foot of 100 \$35 00 125 00 200 00 300 00 425 00	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be so desired.  1 to 1½ ft., clumps.  1 to 1½ ft., clumps.  2 to 3 ft., clumps.  3 to 4 ft., clumps.  4 to 5 ft., clumps.  3 to 7 ft., specimens, from the samuch	Part East Son 15 at dd 4	the iaxi in the 50 75 50 00 00 00 00 25	17 50 32 50 90 00 90 00 beautiful ground ar mum. A c sizes up t 10 \$4 00 17 00 22 50 32 50 75 00	300 00  Rhododen da mass compact to 3-foot c 100 200 00 330 00 425 00 650 00	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be so desired.  1 to 1½ ft., clumps.  1 to 1½ ft., clumps.  2 to 3 ft., clumps.  3 to 4 ft., clumps.  4 to 5 ft., clumps.  3 to 7 ft., specimens, from the samuch	Part East Son 15 at dd 4	the inaxii in ch 50 75 50 00 00 00 00 25 40	17 50 32 50 90 00 90 00 beautiful ground armum. A c sizes up \$4 00 17 00 222 50 32 50 45 00 75 00	300 00  Rhododen da mass sompact to 3-foot to 100 \$35 00 125 00 200 00 425 00 00 17 50 00 25 00 25 00 25 00	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be so desired.  9 to 12 in. 1 to 1½ ft., clumps. 1½ to 2 ft., clumps. 2 to 3 ft., clumps. 3 to 4 ft., clumps. 4 to 5 ft., clumps. 4 to 5 ft., clumps. 4 to 5 ft., specimens, from \$8 to	R. m Rent Ea . \$0 . 1 . 2 . 3 . 5 . 8 m . 15	the in axi in the 50 75 50 00 00 00 00 25 40 75	17 50 32 50 90 00 90 00 beautiful ground ar mum. A c sizes up t 10 17 00 22 50 45 00 75 00	Rhododen da mass compact to 3-foot c 100 (335 00 200 00 425 00 650 00 17 50 00 25 00 50 00 50 50 00 17	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be something the highest mountains will be something to 1½ for 1½ ft., clumps.  1 to 1½ ft., clumps.  2 to 3 ft., clumps.  3 to 4 ft., clumps.  4 to 5 ft., clumps.  3 to 7 ft., specimens, from \$8 to \$8 to \$10 t	R. m Rent Ea . \$0 . 1 . 2 . 3 . 5 . 8 m . 15	the liaxii in 50 75 50 00 00 00 00 25 40 75 00 80	17 50 32 50 90 00 90 00 beautiful ground ar mum. A c \$4 00 17 00 22 50 32 50 45 00 75 00	Rhododen da mass compact to 3-foot c 100	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be something the highest mountains will be something to 1½ for 1½ ft., clumps.  1 to 1½ ft., clumps.  2 to 3 ft., clumps.  3 to 4 ft., clumps.  4 to 5 ft., clumps.  3 to 7 ft., specimens, from \$8 to \$8 to \$10 t	R. m Rent Ea . \$0 . 1 . 2 . 3 . 5 . 8 m . 15	the taxii in 50 75 50 00 00 00 00 25 40 75 00 80 00	17 50 32 50 90 00 90 00 beautiful ground ar mum. A c sizes up t 10 \$4 00 17 00 22 50 32 50 75 00  2 00 3 00 6 00 9 00 7 00 9 00 9 00	Rhododen da mass compact to 0 3-foot c 100 200 00 325 00 425 00 425 00 650 00 50 00 80 00 65 00 80 00	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be so desired.  9 to 12 in	East 15 tt d 4	the laxii in ch 50 75 50 00 00 00 25 40 75 00 80 00 75 50 00 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00	17 50 32 50 90 00 90 00 90 00  eautiful ground ar mum. A c sizes up t 10 22 50 32 50 32 50 75 00  2 00 3 00 6 00 9 00 7 00 9 00 15 00 22 50	Rhododen da mass compact to 3-foot c 100	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be so desired.  9 to 12 in	East 15 tt d 4	the laxii in ch 50 75 50 00 00 00 25 40 75 00 80 00 75 50 00 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00	17 50 32 50 90 00 90 00 beautiful ground armum. A sizes up t 10 \$4 00 17 00 22 50 32 50 45 00 75 00	Rhododen da mass compact to 0 3-foot c 100 200 00 325 00 425 00 425 00 650 00 50 00 80 00 65 00 80 00	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be so desired.  9 to 12 in  1 to 1½ ft., clumps  1 to 1½ ft., clumps  3 to 4 ft., clumps  3 to 5 ft., clumps  4 to 5 ft., clumps  58 to 5 ft., clumps  1 to 1½ ft. clumps  1 to 1½ ft  88 to catawbiense hybrids. Hardies varieties, according to size an selection  1 to 1½ ft  1 to 1½ ft  2 to 3 ft  6 to 12 in  2 to 3 ft  6 to 12 in., clumps  1 ½ to 2 ft  2 to 3 ft  1 to 1½ ft  2 to 3 ft  6 to 12 in., clumps  1 to 1½ ft  2 to 3 ft  6 to 12 in., clumps  1 to 1½ ft  2 to 3 ft  6 to 15 in., clumps  1 to 1½ ft  2 to 3 ft  6 to 15 in., clumps  1 to 1½ ft  6 to 15 in., clumps  1 to 6 ft., clumps  3 to 6 ft., clumps  3 to 6 ft., clumps	Ea. \$0 4 1. 1 1. 1 2. 4 4 0 10	the laxi in section of the control o	17 50 32 50 90 00 90 00 90 00 90 00 90 00 10 10 \$4 00 17 00 22 50 32 50 75 00  2 00 3 00 6 00 9 00 7 00 9 00 15 00 22 50 37 50	Rhododen da mass compact to 0 3-foot c 100 200 00 325 00 425 00 425 00 650 00 50 00 80 00 65 00 80 00	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be so desired.  9 to 12 in  1 to 1½ ft., clumps  1 to 1½ ft., clumps  3 to 4 ft., clumps  3 to 5 ft., clumps  4 to 5 ft., clumps  58 to 5 ft., clumps  1 to 1½ ft. clumps  1 to 1½ ft  88 to catawbiense hybrids. Hardies varieties, according to size an selection  1 to 1½ ft  1 to 1½ ft  2 to 3 ft  6 to 12 in  2 to 3 ft  6 to 12 in., clumps  1 ½ to 2 ft  2 to 3 ft  1 to 1½ ft  2 to 3 ft  6 to 12 in., clumps  1 to 1½ ft  2 to 3 ft  6 to 12 in., clumps  1 to 1½ ft  2 to 3 ft  6 to 15 in., clumps  1 to 1½ ft  2 to 3 ft  6 to 15 in., clumps  1 to 1½ ft  6 to 15 in., clumps  1 to 6 ft., clumps  3 to 6 ft., clumps  3 to 6 ft., clumps	Ea. \$0 4 1. 1 1. 1 2. 4 4 0 10	the laxii in ch 50 75 50 00 00 00 25 40 75 00 80 00 75 50 00 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00 75 50 00 80 00	17 50 32 50 90 00 90 00 90 00  eautiful ground ar mum. A c sizes up t 10 22 50 32 50 32 50 75 00  2 00 3 00 6 00 9 00 7 00 9 00 15 00 22 50	Rhododen da mass compact to 0 3-foot c 100 200 00 325 00 425 00 425 00 650 00 50 00 80 00 65 00 80 00	of buds. ype from
perfect and mostly feathered from the is a much freer bloomer than a the highest mountains will be selected.  9 to 12 in.  1 to 1½ ft., clumps.  1½ to 2 ft., clumps.  3 to 4 ft., clumps.  3 to 5 ft., clumps.  4 to 5 ft., clumps.  58 to catawbiense hybrids. Hardies varieties, according to size an selection.  1 to 1½ ft.  1½ to 2 ft.  2 to 3 ft., clumps.  58 to catawbiense hybrids. Hardies varieties, according to size an selection.  1 to 1½ ft.  1½ to 2 ft.  2 to 3 ft., clumps.  1 to 1½ ft., clumps.  1 to 1½ ft., clumps.  1 to 1½ ft., clumps.  4 to 6 ft., specimens, \$5 to Taxus canadensis. Canadian Yew.  6 to 12 in  cuspidata brevifolia. Japanese Yew.  6 to 12 in	R. m Eaa. \$0	the maximin self solution of the self solution of the self solution of the self solution of the self self solution of the self self self self self self self sel	17 50 32 50 90 00 90 00 90 00 90 00 90 00 10 10 \$4 00 17 00 22 50 32 50 75 00  2 00 3 00 6 00 9 00 7 00 9 00 15 00 22 50 37 50	Rhododen da mass compact to 0 3-foot c 100 200 00 325 00 425 00 425 00 650 00 50 00 80 00 65 00 80 00	of buds. ype from
perfect and mostly feathered fro  It is a much freer bloomer than it the highest mountains will be s desired.  9 to 12 in  1 to 1½ ft., clumps  2 to 3 ft., clumps  3 to 4 ft., clumps  4 to 5 ft., clumps  5 to 7 ft., specimens, from  8 to 7 ft., specimens, from  8 to 8 to 8 to 12 in  1 to 1½ ft  1 to 1½ ft  2 to 3 ft  2 to 3 ft  6 to 12 in  1 to 1½ ft  2 to 3 ft  6 to 12 in., clumps  3 to 4 ft., clumps  4 to 6 ft., specimens, som  1 ½ to 2 ft  2 to 3 ft  6 to 12 in., clumps  3 to 4 ft., clumps  4 to 6 ft., specimens, \$5 to  Taxus canadensis. Canadian Yew.  6 to 12 in  cuspidata brevifolia. Japanese Yew  6 to 12 in  repandens. 2 to 2½ ft  repandens. 2 to 2½ ft	R. ment Ea \$0 15 15 1	00 00 00 00 00 00 00 00 00 00 00 00 00	17 50 32 50 90 00 90 00 90 00 90 00 90 00 90 00 10 10 10 12 10 17 00 17 00 18 40 00 17 00 18 45 00 75 00 18 20 00 30 00 90 00 90 00 15 00 22 25 37 50 6 00 8 00 8 00	Rhododen da mass compact to 0 3-foot c 100 200 00 325 00 425 00 425 00 650 00 50 00 80 00 65 00 80 00	of buds.
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be selected.  9 to 12 in	R. ment Ea	00 00 00 00 00 00 00 00 00 00 00 00 00	17 50 32 50 90 00 90 00 beautiful ground ar mum. As sizes up t 10 \$4 00 17 00 75 00 22 50 32 50 45 00 75 00 20 00 15 00 22 50 37 50	Rhododen da mass compact to 0 3-foot c 100 200 00 325 00 425 00 425 00 650 00 50 00 80 00 65 00 80 00	of buds. ype from
perfect and mostly feathered fro  It is a much freer bloomer than it the highest mountains will be s desired.  9 to 12 in	P. ment Ea. \$0. 15 td d 4	the axi in 50 50 00 00 00 00 255 40 755 00 00 00 75 00 00 00 00 75 00 00 00 00 00 00 00 00 00 00 00 00 00	17 50 32 50 90 00 90 00 90 00 90 00 90 00 10 10 10 17 00 22 50 32 50 45 00 75 00  2 00 3 00 6 00 9 00 7 00 9 00 15 00 22 50 37 50  6 00 8 00 25 00 25 00	300 00  Rhododen da mass sompact to 3-foot c 100	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be so desired.  9 to 12 in.  1 to 1½ ft., clumps.  1½ to 2 ft., clumps.  2 to 3 ft., clumps.  3 to 4 ft., clumps.  4 to 5 ft., clumps.  58 to 4 ft., clumps.  88 to eatawbiense hybrids. Hardies varieties, according to size an selection.  1 to 1½ ft.  1½ to 2 ft.  2 to 3 ft., clumps.  1 to 1½ ft.  2 to 3 ft., clumps.  1 to 1½ ft.  2 to 3 ft., clumps.  1 to 1½ ft.  2 to 3 ft., clumps.  1 to 1½ ft., clumps.  1 to 1½ ft., clumps.  1 to 1½ ft., clumps.  2 to 3 ft., clumps.  3 to 4 ft., clumps.  2 to 3 ft., clumps.  3 to 4 ft., clumps.  4 to 6 ft., specimens, \$5 to Taxus canadensis. Canadian Yew. 6 to 12 in.  repandens. 2 to 2½ ft.  tardiva. 2 to 3 ft.  Thuya occidentalis. American Arboi vitse. 1 to 1½ ft.  2 to 3 ft.	P. ment Ea. \$0. 15 td d 4	the axi in section of the control of	17 50 32 50 90 00 90 00 beautiful ground ar mum. A c sizes up t 10 \$4 00 17 00 22 50 32 50 45 00 75 00  2 00 3 00 6 00 9 00 9 00 9 00 22 50 37 50 6 00 8 00 25 00 25 00 2 50	300 00  Rhododen da mass compact to 3-foot to 100 \$35 00 125 00 200 00 425 00 00 650 00 65 00 80 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 40 00 40 00	of buds. ype from
perfect and mostly feathered fro  It is a much freer bloomer than it the highest mountains will be s desired.  9 to 12 in	Ea. *00 15 td 4	the axi in the bar in	17 50 32 50 90 00 90 00 beautiful ground ar mum. A c sizes up t 10 \$4 00 17 00 22 50 32 50 45 00 75 00  2 00 3 00 6 00 9 00 0 00 22 50 37 50 6 00 25 00 25 00 25 00 2 500 8 00 2 500 8 00 1 500	300 00  Rhododen da mass sompact to 3-foot c 100	of buds. ype from
perfect and mostly feathered from the samuch freer bloomer than a the highest mountains will be so desired.  9 to 12 in  1 to 1½ ft., clumps  2 to 3 ft., clumps  3 to 4 ft., clumps  4 to 5 ft., clumps  5 to 7 ft., specimens, from the second secon	R. ment 15	the axi in section of the control of	17 50 32 50 90 00 90 00 beautiful ground armum. A sizes up to the sizes up to	300 00  Rhododen da mass compact to 3-foot to 100 \$35 00 125 00 200 00 425 00 00 650 00 65 00 80 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 40 00 40 00	of buds. ype from
perfect and mostly feathered fro  It is a much freer bloomer than it the highest mountains will be s desired.  9 to 12 in.  1 to 1½ ft., clumps.  1½ to 2 ft., clumps.  3 to 4 ft., clumps.  3 to 5 ft., clumps.  58 te eatawbiense hybrids. Hardies varieties, according to size an selection.  1 to 1½ ft.  2 to 3 ft.  6 to 12 in.  1 to 1½ ft.  2 to 3 ft.  2 to 3 ft.  58 te eatawbiense hybrids.  Fardies varieties, according to size an selection.  1 to 1½ ft.  2 to 3 ft.  6 to 12 in.  1 to 1½ ft. clumps.  2 to 3 ft.  6 to 12 in.  cuspidata brevifolia. Japanese Yev 6 to 12 in.  repandens. 2 to 2½ ft.  tardiva. 2 to 3 ft.  Thuy occidentalis. American Arbor vitæ. 1 to 1½ ft.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.  5 to 6 ft.  5 coccidentalis, Geo. Peabody.	East 15 td 4 1 1 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	the iaxi in in 50 75 50 00 00 00 25 40 75 00 00 00 75 50 00 00 00 75 50 00 00 00 50 00 50 00 00 50 00 50 00 50 00 50 00 50 00 0	17 50 32 50 90 00 90 00 beautiful ground ar mum. A c sizes up t 10 \$4 00 17 00 22 50 32 50 45 00 75 00  2 00 3 00 6 00 9 00 0 00 22 50 37 50 6 00 25 00 25 00 25 00 2 500 8 00 2 500 8 00 1 500	300 00  Rhododen da mass compact to 3-foot to 100 \$35 00 125 00 200 00 425 00 00 650 00 65 00 80 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 40 00 40 00	of buds. ype from
perfect and mostly feathered fro  It is a much freer bloomer than it the highest mountains will be s desired.  9 to 12 in	East 15 td 4 1 1 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	the iaxi in in 50 75 50 000 00 00 255 40 00 00 00 75 50 00 00 00 00 00 00 00 00 00 00 00 00	17 50 32 50 90 00 90 00 beautiful ground armum. A sizes up to the sizes up to	300 00  Rhododen da mass compact to 3-foot to 100 \$35 00 125 00 200 00 425 00 00 650 00 65 00 80 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 125 00 40 00 40 00	of buds. ype from

#### Catalog of BOXFORD NURSERY

EVERGREEN TREES AND	SHE	UBS.	co	ntinue	ď
Thuya occidentalis pyramidalis.	Eac	h 1	0	100	
1 to 1 ½ ft	\$0 60	\$5		\$40 00	
1 1/2 to 2 ft	1 00		00	70 00	
2 to 3 ft	1 50	12		110 00	
3 to 4 ft		18			
4 to 5 ft		30 40			
5 to 6 ft	4 90	40	00		
occidentalis wareana.	80	7	00		
3 to 4 ft		25			
orientalis aurea conspicua.	0 00	20			
1 to 1½ ft	1 25	10	00		
orientalis elegantissima.					
1 to 1½ ft			00	30 00	
1½ to 2 ft			00		
3 to 4 ft		16		J. Janes	
Tsuga canadensis. Canadian Hemle	ock.	We ha	ave	the best	stock of
Canadian Hemlock in large sizes	that	1 kno	w o	to place	orders for
trade, and as they are scarce, it	Each	i be w	0	100	1,000
these as early as possible.		\$1		\$12 00	\$100 00
8 to 12 in			50	20 00	180 00
2 to 3 ft		10			4
3 to 4 ft		15	00	140 00	
4 to 5 ft	3 00	27	50	250 00	
5 to 6 ft	5 00	45		400 00	
6 to 7 ft		65		600 00	
7 to 8 ft		75	00	700 00	
8 to 10 ft				m'	4. 1
caroliniana. Carolina Hemlock. The in existence that we know of. Spe-	e only	stock	OI I	arge T. c	footbored
to the ground and compact and de	cillicii	They b	910	heen tra	nanlanted
until they have very large solid ba	lls wh	ich are	lift	ed with t	he plants.
The particular attention of nurse	ervme	n is ca	lled	to the f	ine young
stock of transplanted plants which	ch 1 c	an offe	3L 11	1,000 a	na 10,000
lots. It is the coming American	everg	reen fo	r th	ne finest	plantings.
	Each	10		100	1,000
4 to 6 in			00	\$18 00	\$150 00
6 to 9 in			00	35 00	300 00
9 to 12 in	1 60		50	50 00 80 00	475 00 750 00
1 to 1½ ft 4 to 5 ft			00	80 00	700 00
5 to 6 ft	10 00	90	00		
6 to 7 ft	15 00				
7 to 8 ft					
heterophylla. 6 to 9 in			00		
sieboldi. 3 to 4 ft			00		
DANIEL O CO A AUTOMOTOR CONTRACTOR CONTRACTO	0 00	-00	-		

## **DECIDUOUS TREES AND SHRUBS**

Ann January Cilian Maria	anh	10		100	1.000
Acer dasycarpum. Silver Maple. Es		\$12		100	1,000
10 to 12 ft\$1					
12 to 14 ft		18 25			
	00	25	UU		
dasycarpum wieri. Cut-leaved					
Maple, 12 to 14 ft 2	2 50	20			
ginnala. 4 to 6 ft 1	00	7	50		
6 to 7 ft 1	75	15	00		
pictum. 4 to 8 in	25	2	00		
platanoides. Norway Maple.					
5 to 6 ft	60	. 5	00	\$40 00	)
6 to 8 ft	75	6	00	50 00	)
8 to 10 ft 1	00		00	70 00	)
10 to 12 ft 1	50	12	50	110 00	)
12 to 14 ft 3	3 00	25	00		
polymorphum atropurpureum.					
Japanese Blood-leaved Maple.					
1½ to 2 ft 1	50	12	00		
saccharum. Sugar Maple. 3 to 4 ft.	30	2		15 00	\$125 00
4 to 5 ft	40	3		30 00	
5 to 6 ft	50	4		40 00	
6 to 7 ft	65		00	50 00	
8 to 10 ft 1	25		00	00 00	,
	20	10	00		
spicatum. Mountain Maple.	20	- 4	00		
2 to 3 ft	50 75		00		
3 to 4 ft	10	0	00		
Æsculus hippocastanum. 14 to 16 ft					
\$5 to 7					
octandra. 1 to 1 1/2 ft	35	3	00		
Amelanchier botryapium. Shad-					
Bush. 2 to 3 ft	30	2	50	20 00	)
3 to 4 ft	40		00	25 0	
4 to 5 ft	50		00	35 00	
6 to 8 ft	75		00	50 00	
			0.0		
Amorpha glabra (montana).	20	0	20		
1½ to 2 ft	30		50		
Aralia spinosa. 3 to 4 ft	30	2	50		

DECIDUOUS TREES AND	5	HR	UBS, co	ntinue	d
	E	lach	. 10	100	
Aronia arbutifolia. 1½ to 2 ft	80	65	\$5 00	\$40 00	
2 to 3 ft		80	7 00	55 00	
			8 00	65 00	
1 to 114 ft		50	4 50	25 00	
atropurpurea. Purple Chokeberry 1 to 1½ ft. melanocarpa (nigra). Black Choke	-	50	4 50	35 00	
berry. 1½ to 2 ft		40	3 00	27 50	
2 to 3 ft		60	5 00	45 00	
5 to 4 It		75	7 00	60 00	
4 to 5 ft	. 1	00	8 00		
Azalea arborescens. Fragrant White from twenty-five to one hundre with enormous balls	A	zalea	. The ch	imps of	fered have
with enormous balls.	E	sten	is and ar	e neavi	ly budded
1 to 11/4 ft	20	60	\$5 00	\$45 00	
1 to 1½ ft., clumps 1½ to 2 ft., clumps. 2 to 3 ft., clumps 3 to 4 ft., clumps	. 1	50	12 50	100 00	
1½ to 2 ft., clumps	. 2	50	22 50	200 00	
2 to 3 ft., clumps	. 4	00	35 00		
3 to 4 it., clumps	. 6	00	50 00		
canescens. 12 to 15 ingandavensis. Ghent Azalea. 2 to 3 ft	1	75	15 00		
lutea (calendulacea). Flame Aza	00	T	hose A I	utea ar	e splendid
clumps with a mass of buds and	TR	nge	in color fr	rom ligh	t sulphur-
yellow to deep red. Where the	col	ors a	are picked	l, a spec	cial charge
will be made.	-35	ach	10	100	1,000 •
6 to 12 in., clumps	. 20	80	\$3 50 7 00	\$30 00	
1 to 1½ ft., clumps 1½ to 2 ft., clumps	1	50	10 00	00 00	
2 to 3 lt., clumps	. 2	00	18 00		
5 to 4 It., clumps	. 3	50	30 00		
4 to 5 lt., clumps	- 5	00	45 00		
mollis. 1 to 1½ ft., clumps		75	6 00	50 00	
nudiflora. Pinxter Flower.	. 1	00	8.00	70 00	
nudifiora. Pinxter Flower. 9 to 12 in., clumps		60	5 00	40 00	
1 to 1 % ft., clumps		80	7 00	65 00	
1 ½ to 2 ft., clumps	1		12 00	100 00	
pontica. o to 9 m		25	2 00	18 00	
vaseyi. Southern Azalea. 1 to 1 1/2 ft.		75	6 00	50 00	
1½ to 2 ft	1		7 00	60 00	
1 to 1½ ft., clumps 1½ to 2 ft., clumps	1		7 00 15 00	60 00 130 00	
2 to 3 ft., clumps	3		25 00	200 00	
5 to 4 It., clumps	4		. 35 00	500 00	
viscosa. Early white Azalea.				1	
1 to 1½ ft		50	4 00	30 00	
1 to 1½ ft., clumps 1½ to 2 ft., clumps	1		8 00 12 50	70 00	\$600 00
2 to 3 ft . clumns	3	00	25 00	110 00	
3 to 4 ft., clumps	4	00	35 00		
Azalea, Aronia, and Clethra. (Grow-		-	-		
ing together.) 2 to 4 ft., clumps					
\$2 to	4	00			
Benzoin æstivale. Collected clumps 2 to 4 ft\$1 to	0	00			
Parharia accessor 1 to 11/6	3	00	0.00		
Berberis aggregata. 1 to 1½ ft canadensis. American Barberry.		75	6 00		
2 to 3 ft		75	6 00		
regeliana. 1 to 11/2 ft		60	5 00		
regeliana. 1 to 1½ ftrepens. 4 to 6 in		40	3 00	25 00	
sanguinolenta. 6 to 12 m		40	3 00		
sieboldi. 6 to 10 in		15	1 00	8 00	
1½ to 2 ft		25	2 00	0" 00	
2 to 3 ft		40 60	3 00 5 00	25 00	
		40	3 00		
thunbergi. Japanese Barberry.  1 to 1½ ft					
1 to 1½ ft		35	3 00	27 50	200 00
1½ to 2 ft		50	4 50	40 00	350 00
2 to 2½ ft 2½ to 3 ft. Extra heavy		60	5 50	50 00	425 00
thunbergi maximowiczi. 12 to 15 in.		40	7 50	70 00	
vulgaris. Common Barberry.		40	3 00		
6 to 12 in, Seedlings		15	75	4 00	20 00
1 to 1½ ft 1½ to 2 ft		20	1 50	10 00	20 00
1½ to 2 ft		30	2 50	20 00	
Betula alba. European White Birch.	-	00	0.40	00 -	
6 to 8 ft	1	00	8 00	60 00	
, 8 to 10 1t		25 75	12 00 15 00		
lutea. 6 to 8 ft  8 to 10.ft  10 to 12 ft  8 to 10.ft  10 to 12 ft  8 to 10.ft  10 to 12 ft  10 to 12	I.	75	6 00		
8 to 10.ft	1		8 00		
nigra (rubra). 3 to 4 ft		50	4 00		
4 to 5 ft		75	6 00	0" 0"	
papyriiera. 3 to 4 lt		40	3 00	25 00	
5 to 6 ft		60 75	5 00 6 00	40 00 50 00	
6 to 8 ft		90	8 00	70 00	
8 to 10 ft	1	25	10 00		
populifolia. 7 to 8 ft.	1	00	8 00		
Buddleia veitchiana. Heavy		50	4 00		
Caragana arborescens. 3 to 4 ft		50	4 00		
arborescens cuneifolia. 6 to 12 in.		25	2 00	12 00	
microphylla. 4 to 6 in		25	2 00	15 00	
in the second se					

DECIDUOUS TREES AND SHRU	BS, co	ntinued
Carpinus caroliniana (americana). Each Water Beech. 4 to 5 ft\$0 40	10 \$3 50	100
6 to 8 ft 75	6 00	\$50 00
Castanea pumila. Chinkapin.	4 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9 00	
4 to 5 ft	2 00	
Catalpa speciosa.       3 to 4 ft       25         4 to 5 ft       35         5 to 6 ft       50	3 00 4 00	
0 to 8 It	6 00 12 00	
Cephalanthus occidentalis. 2 to 3 ft. 35	2 50	
Cercidiphyllum japonicum. Kadsura Tree. 4 to 5 ft	8 00	
5 to 6 ft		
2 10 3 11	4 00 6 00	30 00 50 00
3 to 4 ft	8 00	
per Bush. 1 to 1½ ft	3 00	
alnifolia. Sweet Pepper Bush.   1 to 1½ ft	3 00	25 00
1½ to 2 ft	2.00	
Cornus florida. 4 to 5 ft	12 00 16 00	
wood. 4 to 5 it 2 00	18 00	165 00
	4 00	
mas. Cornelian Cherry. 3 to 4 ft 50 6 to 7 ft 1 00 alba sibirica. 3 to 4 ft 50	8 50 4 00	
stolonitors Red Osier Cornel	6 00	
2 to 3 ft	2 50	20 00
Corner o to 4 Italian or to	5 00	40 00
Corylus rostrata. Beaked Hazelnut.	7 00	60 00
1 to 2 ft	1 75 3 50	15 00 25 00
3 to 4 ft	5 00 6 00	
horizontalis. 6 to 12 in 1 50	12 50 18 00	
1 to 1½ ft	2 00 4 00	18 00
crus-galli. Cockspur Thorn.	3 00	20 00
4 to 6 ft	5 00 4 00	40 00
monogyna. 4 to 6 in	1 50 2 00	18 00
oxyacantha, Paul's Scarlet.	6 00	20.00
2 to 4 ft	10 00	
4 to 5 ft		
4 to 5 ft	2 00	
punctata. 4 to 5 ft	4 00 6 00	
6 to 7 ft	9 00 1 50	
punctata. 4 to 5 ft. 50  5 to 6 ft. 75 6 to 7 ft. 100  tomentosa. 8 to 10 in. 20  Cydonia japonica. 1½ to 2 ft. 40 japonica baltzi. 1 to 2 ft. 50  maulia 6 to 12 in. 25	3 00 4 00	
japonica baltzi.   1 to 2 ft.   50 maulei. 6 to 12 in.   25   1 to 1½ ft.   40 maulei superba. 9 to 15 in.   40   Diervilla rivularis. 1 to 1½ ft.   25   sessilifolia. Bush Honeysuckle.   2 to 3 ft.   40   Euorymus alata.   Winged Burning   Rush 1½ to 2 ft.   1 00	2 00 3 00	18 00 25 00
maulei superba. 9 to 15 in	3 00 2 00	18 00
sessilifolia. Bush Honeysuckle.	3 00	25 00
Euonymus alata. Winged Burning Bush. 1½ to 2 ft 1 00		70 00
2 to 3 ft 1 25	8 00 12 00	70 00
A to 5 ft evtra heavy 9 50	15 00 20 00	
1 to 1½ ft 40	3 50	1
bungeana. 6 to 12 in	2 00 3 00	15 00 25 00
	5 00 12 00	
4 to 5 ft	18 00	
4 to 5 ft	4 00 6 00	
5 10 4 11 1 00	8 00 18 00	
4 to 5 ft	6 00	

# KELSEY'S HARDY SPECIMEN EVERGREENS Catalog of BOXFORD NURSERY

DECIDUOUS TREES AND SHR	UBS. co	ntinued	
Forsythia fortunei. Golden Bell. Each	10	100	1,000
3 to 4 ft	\$4 00 6 00	\$30 00 50 00	
5 to 7 ft 1 00 intermedia. Hybrid Golden Bell.		60 00	
6 to 8 ft 1 00			
6 to 7 ft 1 25			
2 to 3 ft	3 00	25 00	
3 to 4 ft	4 00	35 00	
Fraxinus americana. 7 to 8 ft 60	5 00		
8 to 10 It 1 00 10 to 12 ft. 1 50			
lanceolata (viridis). 5 to 6 ft 50 7 to 8 ft	4 00	50 00	
Genista tinctoria. Woadwaxen.			
4 to 6 in	3 00	7 00 20 00	
Gleditsia triacanthos inermis.	1 50	19.00	
2 to 3 ft 30	2 50	12 00 20 00	
3 to 4 ft	6 00	30 00	
Halesia carolina monticola. 1 to 2 ft 40	3 00		
3 to 4 ft 1 00	5 00 8 00		
5 to 6 ft			
2 to 3 ft 30	2 00		
3 to 4 ft	4 00		
Hydrangea. 1½ to 2 ft	3 00 3 50	30 00	
paniculata (type). 3 to 4 ft 65	5 00	40 00	
quercifolia. 1 to 1½ ft			
1 to 2 ft 25	2 00 3 00		
3 to 4 ft 50	4 00		
verticillata. Black Alder. 1 to 1½ ft. 40 1½ to 2 ft	3 50 5 00	30 00 40 00	
Itea virginica. 1 to 2 ft 40	3 00	20 00	
Jamesia americana. $1 \text{ to } 1\frac{1}{2} \text{ ft.}$ 60 Kerria japonica. $1 \text{ to } 2 \text{ ft.}$ 40	5 00	27 00	
Ligustrum amuranca Amoor Divor	0.00	21 00	
Privet. Northern form.  1 to 2 ft	2 00	18 00	\$150 00
2 to 3 ft	3 00 1 50	25 00 12 00	200 00
2 to 3 ft	3 00	12 00	
	3 00	25 00	
ovalifolium. 2 to 3 ft	4 00 2 50	30 00 20 00	
Lonicera maacki. 6 to 12 in 25	2 00	-0 00	
morrowl. Japanese Bush Honey- suckle. 3 to 4 ft	4 50		
4 to 5 ft	8 00 2 00		
notha. 1 to 1½ ft	3 00	10.00	
tatarica. Tartarian Honeysuckie.	2 00	18 00	
1 to 2 ft	3 00 6 00	25 00	
4 to 5 ft 1 00 trichosantha. 2 to 2 ½ ft 40	8 00		
Lyonia ngustrina. 1 to 2 tt	4 00	25 00	
Malus baccata. Flowering Crab.	3 00		
2 to 3 ft	4 00 3 00	25 00	
cerasiformis rubra prunifolia.		20 00	
2 to 3 ft	5 00 3 00		
floribunda atrosanguinea.	3 00		
4 to 5 ft 1 00 halliana (parkmani). 1 to 1½ ft 50	8 00		
3 to 4 ft	4 00 6 00		
ioensis flpl. 2 to 3 ft			
niedzwetzkyana. Red-flowering Crab. 4 to 5 ft	6 00		
	3 00	20 00	
ringo. 9 to 12 in. 30 sargenti. 9 to 15 in. 40	2 00 3 00		
spectabilis. 4 to 5 ft	6 00	50 00	
toringo. 1 /2 to 2 it	3 00		
2 to 3 ft	4 00 3 50		

#### Catalog of BOXFORD NURSERY

DECIDUOUS TREES AND	SHI	RUBS,	col	ntinued	
	Each	1 1	0	100	1,000
Myrica cerifera. Bayberry. 4 to 6 in \$ gale. Sweet Gale.	0 15	\$ \$1	00	\$8 00	\$60 00
6 to 12 in. Seedlings	10		50 50	4 00 25 00	30 00
12 to 15 in	40	, 0	00	20 00	
Nyssa sylvatica (multifiora). Black Gum. 6 to 12 in	50		00		
Ostrya virginica. Ironwood. 2 to 3 ft. 3 to 4 ft	31 50		00		
Oxydendron arboreum. Tree An-		, 9	50	30 00	250 00
dromea. 1 to 2 ft	60	5	00	40 00	200 00
3 to 4 ft	1 28		00	60 00	
Paulownia imperialis. 6 to 8 ft	1 50	)		10.00	
Phellodendron amurense. 9 to 12 in. sachalinense. 1 to 2 ft	30		50	18 00 20 00	160 00
Populus deltoides (monilifera). 6 to 8 ft	60	5	00	40 00	
8 to 10 tr	1 2	5 10	00	40 00	
nigra italica (fastigiata). Lom-	1 50	0 12	50		
bardy Popiar, a to b II	50 73		00	30 00 50 00	
6 to 7 ft 8 to 10 ft	1 2	5 10	00	80 00	
Devenue americana	1 50	12	50	110 00	
6 to 9 in. Seedlings 1 to 1½ ft	10		75	5 00 18 00	30 00
besseyi. 1 to 2 ft	40	0 3	50	25 00	
2 to 3 ft	7.		00	40 00 50 00	
maritima. 1 to 2 ft. "Collected"	40		00 50	20 00 30 00	
maritima. 1 to 2 ft. "Collected" pumila. Sand Cherry. 2 to 3 ft 3 to 4 ft	6	5 5	50	45 00	
Ouercus banisteri. 4 to 6 ft.	1 5		00		
cerris. 4 to 5 ft	1 0				
coccinea. 5 to 6 ft	1 0		00		
5 to 6 ft	1 2	5			
7 to 8 ft	2 0		00		
palustris. Pin Oak. 6 to 7 ft	1 5	0 12	00		
7 to 8 ft	3 0		00		
prinus. 6 to 8 ft	1 0 2 5		00		
rubra. 5 to 6 ft	5	0 4	00		
6 to 8 ft 8 to 10 ft	1 5	0	00		
Rhamnus dahurica. 3 to 4 ft	4	0 3	00		
2 to 3 It	4		50	40.00	
3 to 4 ft	6	U o	00	40 00	
scented Sumac. 6 to 12 in	1	5 1	00	8 00	
1½ to 2 ft	2		Eac Eac	18 00	100
copallina. Upland Sumac. 1 to 2 ft.			80 2	20 \$1 50	\$12 00
2 to 3 ft				$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
5 to 6 ft				$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12 00
Robinia Kelseyi. 6 to 12 in				75 6 00	12 00
Pose blanda Mandow Rose See R v	irmin	iana	,	5 00	
carolina. 2 to 3 ft				25 2 00 35 3 00	18 00 25 00
coriifolia. 1 to 1½ ft			1	25 2 00	18 00
guiana. 6 to 12 in			-	40 3 00	18 00
humilis. 1 to 1½ ft lucida. Glossy Rose. 1 to 2 ft	****			$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00
2 to 3 ft				45 4 00	35 00
2 to 3 ft lucida alba. 1½ to 2 ft., heavy clum multiflora. 2 to 3 ft	nps			$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	35 00 30 00
nitida. 1 to 2 ftnutkana hispida. 6 to 12 in				40 3 50 50	30 00
rubiginosa. 6 to 12 in				25 2 00	18 00 25 00
rugosa. 2 to 3 ft., extra heavy				50 4 50	40 00
3 to 4 ft., extra heavy rugosa alba. White Japanese Rose.	1 to	2 ft.	- 4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	60 00 30 00
2 to 3 ft extra heavy				60 5 00	40 00
semenovi. 9 to 12 in setigera. 3 to 4 ft spinosissima. Scotch Rose. 6 to 12				$     \begin{array}{rrr}       40 & 3 & 00 \\       30 & 2 & 50 \\       30 & 2 & 50     \end{array} $	20 00
spinosissima. Scotch Rose. 6 to 12 1 to 2 ft	in			$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 0
spinosissima penicillata. 6 to 9 in				50 4 00	10.0
virginiana (blanda). 1 to 1½ ft 2 to 3 ft				$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
woodsi. 1 to 1 ½ ft				40 3 00	
10					

#### Catalog of BOXFORD NURSERY

#### DECIDUOUS TREES AND SHRUBS, continued

Rubus deliciosus. Rocky Mountain Flo	wering Each	100 100
Raspberry. 1 to 2 ft  odoratus. Flowering Raspberry. 1 to 2 2 to 3 ft	2 ft 20	\$5 00 1 75 3 00 \$20 00
Salix. This collection of Willows covers alr planted in the Arnold Arboretum, an	most all the	species that are
quantities that have lately been discov A special Willow circular will be publis	vered in Chir	na and elsewhere.
request it. Many of the Willows wil semi-prostrate shrubs.	ll make cha ich = 10	rming dwarf and
acutifolia. 1 to 2 ft	35 3 00	
alba acutifolia. 3 to 4 ft	25 2 00 40 3 50	
2 to 3 ft.  alba acutifolia. 3 to 4 ft  4 to 5 ft  alba bodfordiana. 9 to 12 in  alba × fragilis, male. 6 to 12 in	25 2 00 25 2 00 35 3 00	
appendiculata, male. 3 to 4 ft appendiculata, x purpurea. 22 to 15 in	35 3 00 35 3 00	
12 to 15 in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
ambigua. 9 to 12 in	25 2 00 40 3 00	
amygdalina discolor. 1½ to 2 ft 4 to 5 ft	25 2 00 35 3 00	
aurita × phylicifolia. 1 to 1½ ft 2½ to 3 ft	25 2 00 35 3 00	
6 to 12 in	25 2 00	
ambigua. 9 to 12 in  amygdalina discolor. 1½ to 2 ft  4 to 5 ft  babylonica, variety from China. 6 to 12 in  babylonica dolorosa. Wisconsin Weeping. 4 to 5 ft  6 to 7 ft  8 to 10 ft  bicolor. 1 to 2 ft  bicolor laweana. Fine. 9 to 12 in  bullata. 9 to 12 in  caprea × cinerea. 1 to 2 ft  4 to 5 ft  4 to 5 ft	35 3 00 50 4 00	
8 to 10 ft	00 8 00 25 2 00	\$18 00
bicolor laweana. Fine. 9 to 12 in bullata. 9 to 12 in	25 2 00 25 2 00	010 00
caprea × cinerea. 1 to 2 ft	20 1 50 35 3 00	
caprea × nigricans. 1½ to 2 ft caprea × purpurea. 3 to 4 ft	25 2 00 35 3 00	
caprea × cinerea. 1 to 2 ft.  4 to 5 ft  caprea × nigricans. 1½ to 2 ft  caprea × purpurea. 3 to 4 ft  cinerea. 12 to 15 in  3 to 4 ft  cinerea × angustifolia. 1 to 1½ ft  cinerea × lapponica. 6 to 12 in  cærulea. 1 to 2 ft  4 to 5 ft  cordata. 6 to 12 in	25 2 00 35 3 00	18 00
cinerea × lapponica. 6 to 12 in	40 35 3 00	
cerulea. 1 to 2 ft	25 2 00 50 25 2 00	
danhnoides × eleagnos, male	35 3 00	
1 to 2 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
eleagnos incana. 1½ to 2 fteleagnos linearis, male. 1½ to 2 ft	25 2 00 35 3 00	
erdingeri. Fine. 3 to 4 ft	25 2 00 50 4 00	16 00
glabra, filicitolia. Fine. 1 to 2 ft	40 3 50 35 3 00 25 2 00	30 00
gradeophysis 12 to 13 ft	35 3 00	
3 to 4 ft daphnoides × eleagnos, male. 1 to 2 ft 3 to 4 ft. eleagnos incana. 1½ to 2 ft eleagnos linearis, male. 1½ to 2 ft eleagnostissima. 1 to 2 ft erdingeri. Fine. 3 to 4 ft glabra, filicifolia. Fine. 1 to 2 ft glabra tiliaefolia. 1 to 2 ft glaucophylla. 12 to 15 in 2 to 3 ft gracistyla. Fine. 1 to 2 ft hastata, female. 1 to 2 ft holosericea. 1 to 2 ft holosericea. 1 to 2 ft	30 2 50 25 2 00 25 2 00	
2 to 3 ft humilis, female. Prairie Willow. 6 to 12 in	35 3 00	
6 to 12 in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
lucida. 1 to 1½ ft 3 to 4 ft  myrtoides, female. 9 to 12 in 3 to 4 ft  nigricans damascena. 6 to 12 in 1 to 2 ft	35 3 00 25 2 00 40 3 50	
nigricans damascena. 6 to 12 in	40 3 50 25 2 00 35 3 00	
1 to 2 ft 2 to 3 ft nigricans menthifolia, female.	45 4 00	
nigricans × phylicifolia. 6 to 12 in.	25 2 00 25 2 00	
nicricans vibernoides A to 5 ft	35 3 00 40 3 50 40 3 00	
niobe, weeping. 3 to 4 ftpentandra. 8 to 10 ft	60 5 00	35 00
niobe, weeping. 3 to 4 ft	25 2 00 40 3 50	
3 to 4 ft	25 2 00 35 3 00	
piperi. 1 to 2 ft	25 2 00 35 3 00	
pontederana, female. 1 to 2 ft	25 2 00 45 3 50	
purpurea amplesicaule, male.  3 to 4 ft	35 3 00	07.00
purpurea glaucescens. 1 to 2 ft purpurea × grandiflora. 1 to 2 ft	35 3 00 25 2 00	25 00
3 to 4 ftpurpurea kerksi. 1 to 2 ft	40 30 2 50	
2 to 3 ft	40 3 50	

#### Hardy American Plants KELSEY'S Rhododendrons and Azaleas

#### BOXFORD NURSERY Catalog of

DECIDUOUS TREES	AND SI	IRUI	BS, con	tinued	
		Cach	10	100	1,000
Salix purpurea lambertiana. 1	to 2 ft.\$	0 25	\$2 00	\$18 00	
4 to 5 ftpurpurea × sericea, female.		40	3 50		
9 to 12 in		25	2 00		
2 to 3 ftrepens argentea. 12 to 15 in		40	3 50		
repens argentea. 12 to 15 in		25 35	2 00 3 00		
2 to 3 ft	in	25	2 00		
repens elatior, female. 9 to 12 2 to 3 ft rosmarinifolia. 1 to 2 ft Russian Golden. 1 to 2 ft 4 to 5 ft		35	3 00		
rosmarinifolia. 1 to 2 ft		30 15	2 50 1 25	20 00 10 00	\$80 00
Russian Golden. 1 to 2 it		25	1 25 2 00	16 00	400 00
0 (0 0 11		00	3 00	25 00	
saeramentana, 1 to 2 ft		50	4 00		
saeramentana, 1 to 2 it 4 to 5 ft		25 35	2 00 3 00		
sericea. 6 to 12 in		25	2 00	18 00	
1 to 2 ft		30	2 50		
2 to 3 ftsesquiteria. 9 to 12 in		40 25	3 50		
2 to 3 ft		35	2 00 3 00		
sieboldiana. 1 to 2 ft		25	2 00	18 00	
2 to 3 ft		35 50	3 00 4 50		
3 to 4 ftviminalis. 3 to 4 ft		25	2 00		
4 to 5 ftviminalis (variety from Madeir:		35	3 00		
viminalis (variety from Madeir:		9.5	0.00	10 00	
1 to 2 ft	0.2 ft	25 25	2 00	18 00	
viminalis songorica, male. 1 t vitellina pendula aurea. 2 to	3 ft	35	3 00		
Wisconsin Weeping. See S. bal	bylonica				
From Pine Bank No. 485. 4 to	5 ft.	35	3 00		
5 to 6 ft		45	4 00		
5 to 6 ft	731 3	25	2 00		
Sambucus canadensis. America	n Elder.	35	3 00	20 00	
1 to 2[ft		40	3 50	200	
4 to 5 ft		75	6 00		
canadensis acutiloba. 1 to 2 i	2 64	40	3 50 3 50		
canadensis chlorocarpa. 2 to canadensis maxima. 1 to 2 ft	0 16	40	3 50		
		60	4 00	50 00	
4 to 5 ftracemosa sieboldiana. 3 to 4	64	1 00	8 00		
Culoma Amélianus Watanan 1 to	. 63 64	40	3 50	30 00	
arguta. 4 to 5 ft		75	6 00		
arguta. 4 to 5 ft	9 64	40 50	3 50 4 00	30 00	
tomentosa. Steeple Bush. 2 to	0 3 ft	50	4 00	30 00	
VHII HOULTEL DIRECT WICKERS I	LU & Ru	30	2 00	18 00	
2 to 3 ft		50 75	4 00 6 00	30 00	
Stephanandra flexuosa. 2 to 3	t	35	3 00	25 00	
		45	4 00	30 00	
Stuartia pentagyna. Alleghany s	Stuartia.	50			
Styrax japonica. 6 to 12 in		50 25	2 00	15 00	
I to 1½ ft		40	3 50	30 00	
Symphoricarpos pauciflora.		40	9 50		
racemosus. Snowberry, 1 to 2	ft	40 35	3 50	20 00	
2 to 3 ft		45	4 00	30 00	
racemosus lævigatus. 2 to 4		0	0 50		
vulgaris. 1 to 2 ft		30 20	2 50 1 50	12 00	
vulgaris. 1 to 2 ft		30	2 50	20 00	
3 to 4 ft		50	4 00	30 00	

#### LILACS ON THEIR OWN ROOTS

Fine collection of some of the best and newest hybrids in specimen stock. It is only recently that Lilacs on their own Roots were obtainable.

Ordinary stock is grafted on Privet, which "suckers" badly, often crowding out and killing the grafted top and leaving a Privet instead of a Lilac. The Lilac is the queen of spring-flowering shrubs, and the new hybrids mark an epoch in horticulture. For a tall hedge or screen there is nothing better than the Lilac, and for this purpose the old-fashioned white and purple sorts make a charming combination.

D-double varieties; S-single varieties.			
La	ch	1	0
Syringa, Alphonse Lavalle. S. Light			
blue. 2 to 3 ft\$0	75	\$6	00
Andrew Dupont. 3 to 4 ft		6	00
4 to 5 ft 1	00	8	00
Charles X. S. Lilac. 2 to 3 ft		6	00
3 to 4 ft 1		8	00
Claude de la Reine. S. Violet-blue.			
	00	8	00
cærulea superba. S. Blue. 4 to 5 ft.	75	6	00
5 to 6 ft 1	25	10	00
6 to 7 ft 1			
Dame Blanche, D. White, 1 to 2 ft.,	50	4	00

DECIDUOUS TREES AND SHRUBS, continued					
Syringa, Geant des Batailles. S. Bright Ea	ch	10	100	1,000	
reddish lilac. 3 to 4 ft	75 00	\$6 00 8 00			
japonica. S. Creamy white. 4 to 5 ft.	75	6 00			
6 to 7 ft	25 60	10 00 4 50			
5 to 6 ft 1	00	8 00			
Jean Bart. 1 to 2 ft	40	3 00			
Ludwig Spaeth. S. Dark crimson-pur- ple, 2 to 3 ft	75	6 00			
3 to 4 ft 1	00	8 00			
1 to 1 ½ ft	50	4 00			
Mme. Abel Chatenay. D. White.  1 to 1½ ft  Mme. Casimir Perier. 1 to 2 ft	40	3 50			
2 to 3 ft	60	8 00			
5 to 6 ft 1	50	12 50			
Mme. Lemoine. D. White. 1 to 2 ft.  Mons. La Page. Semi-double white.  3 to 4 ft	60	5 00			
3 to 4 ft 1	00	8 00			
4 to 5 ft	50				
negro. S. Deep violet-purple.  1 to 1 <sup>1</sup> <sub>2</sub> ft	75				
pyramidalis. Fine azure-rose. 2 to 3 ft	75	6 00			
3 to 4 ft 1	00	8 00			
Rubra de Marley. S. Purplish red. 2 to 3 ft	75	6 00			
3 to 4 ft	00	8 00			
saugeana. Reddish lilac. 3 to 4 ft 1 verschaffelti. S. Dark red. 1 to 2 ft	00 50	8 00			
3 to 4 It 1	00	8 00			
virginite. D. Soft pink. 3 to 4 ft 4 to 5 ft 1	75 00	6 00 8 00			
vulgaris. S. Common purple lilac.  1 to 2 ft  1 to 2 ft., clumps	30 50	2 50	\$20 00 35 00		
2 to 3 ft., clumps	60	5 00	00 00		
3 to 4 ft., clumps	00	8 00			
1 to 2 ft., clumps	50	4 00	35 00		
Tilia americana. 4 to 5 ft	60	5 00 8 00			
europæa (vulgaris). 8 to 10 ft 2	50	20 00			
14 to 16 ft		30 00 55 00			
heterophylla. 4 to 6 ft	00 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$			
8 to 10 ft 2	00	18 00			
Ulmus americana. 3 to 4 ft	30 60	2 00 5 00	15 00 40 00	\$120 00 275 00	
8 to 10 ft 1	00	8 00	60 00 125 00		
14 to 16 ft 3	50 00	14 00	125 00		
campestris. 8 to 10 ft	00	18 00			
montana. 8 to 10 ft	50	12 00			
Vaccinium corymbosum. 1 to 1½ ft	40	3 50	30 00		
1½ to 2 ft	60	5 00	40 00		
2 to 3 ft	00	8 00 18 00	70 00 175 00		
4 to 5 ft	50 50	30 00 40 00			
5 to 6 ft	50	40 00	05.00	,	
pallidum. 1 to 1½ ft pennsylvanicum. 9 to 12 in stamineum. 6 to 12 in	40 35	3 00	25 00		
stamineum. 6 to 12 in	30 40	2 50 3 00			
Viburnum acerifolium. 2 to 3 ft	45	4 00			
alnifolium. 1½ to 2 ft cassinoides. 1 to 1½ ft	50 30	2 00	15 00		
1½ to 2 ft 2 to 3 ft	40	3 00	27 50 35 00		
3 to 4 ft	50 75	4 00 6 00	50 00		
4 to 5 ft 1	25 40	12 00 3 00	20 00		
3 to 4 ft	75	6 00	50 00		
4 to 5 ft 1 lantana. 2 to 3 ft	25 60	12 00 5 00			
3 to 4 ft	75 25	6 00 2 00	18 00		
molle. 2 to 3 ft	75	6 00	20 00		
nudum. 3 to 4 ft	00 60	8 00 5 00			
nudum. 3 to 4 ftopulus (oxycoccus). 2 to 3 ft	50	4 00 5 00	30 00 40 00		
3 to 4 ft	60 25	12 00			
opulus nanum. 6 to 9 in	40 75	3 00	27 50 50 00		
1 to 1½ ft	25	12 00	00 00		
19					

#### Catalog of BOXFORD NURSERY

DECIDUOUS TREES AND S	HRUE	S, con	tinued	
	Each	10	100	1,000
Viburnum tomentosum. 2 to 3 ft	\$0 75	\$6 00	\$50 00	
3 to 4 ft	1 00 1 50	8 00 12 00		
Weigelia, Eva Rathke, 2 to 3 ft.	50	4 00		
Weigelia, Eva Rathke. 2 to 3 ft. rosea. 2 to 3 ft. Xanthorrhiza apiifolia. 6 to 12 in.	50	4 00		
Xanthorrhiza apiifolia. 6 to 12 in	30 45	2 50 3 50	20 00	\$150 00
1½ to 2 ft	60	5 00	40 00	300 00
2/2 2				
W79		DI-	. 4	
Vines and Climb	ding	Pla	ints	
				* 000
Actinidia arguta. Silver Vine.	Bach so so	10 \$1 00	100	1,000
polygama. 4 to 5 ft Akebia quinata. 2 to 3 ft., strong	1 00	9 00		
Akebia quinata. 2 to 3 ft., strong	50	4 00		
Ampelopsis (Vitis) heterophylla.	25	2 00	215 00	\$100 00
2 to 3 ft	75	6 00	\$10.00	\$100.00
Ampelopsis (Vitis) heterophylla.  1 to 13 ft  2 to 3 ft  heterophylla laciniata. 2 to 3 ft	50	4 00		
		3 50	30 00	
Virginia Creeper. 1½ to 2 ft quinquefolia vitacea. 2 to 3 ft	60	5 00	au 00	
veitchi. Boston Ivy. Strong	50	4 00	35 00	
quinquefolia vitacea. 2 to 3 ft	20	0.50		
1½ to 2 ft 2 to 3 ft 3 to 4 ft 3 to 4 ft 4 to 4 ft., heavy scandens. Bittersweet. 1½ to 2 ft Clematis ligusticifolia. 1½ to 2 ft paniculata. Strong.	30 50	2 50 4 00		
3 to 4 ft	75	6 00		
Celastrus punctatus. 2 to 3 ft	30	2 50		
3 to 4 ft., heavy	40 25	3 50	30 00	
Clematis ligusticifolia. 1 1/2 to 2 ft	25	2 00	18 00	
paniculata. Strong	25	2 00	15 00	
Heavy	40	3 50 2 00	30 00 18 00	
tangutica. 2 yr.	25 25	$\frac{2}{2} \frac{00}{00}$	18 00	
virginiana. 3 to 4 ft	40	3 50	20 00	
Clematis ligusticifolia. 1½ to 2 ft  paniculata. Strong.  Heavy. serratifolia. 2 yr. tangutica. 2 yr. virginiana. 3 to 4 ft  Euonymus kewensis. 9 to 12 in radicans. Climbing Euonymus. 1½ to 2 ft.	1 00	8 00	75 00	
14 to 2 ft	40	3 50	30 00	
radicans vegeta. 1 to 1 1/2 ft	50	4 50	35 00	300 00
radicans. Climbing Euonymus.  1½ to 2 ft  radicans vegeta. 1 to 1½ ft  1½ to 2 ft  radicans variegata. 1 to 1½ ft  Lonicera belgica.	60	5 00 4 00	40 00	
Lonicera belgica.	50 40	4 00 3 50		
iaponica halliana, Hall's Honey suckle				
2 to 3 ft	30	2 50	20 00	
sempervirens. Coral Honeysuckle	40	3 50	30 00	
2 to 3 ft	40	3 00		
Lycium chinense. 2 to 3 ft	30	2 50 4 00	20 00	
Rosa, Crimson Rambler, Strong	50 25	4 00 1 75	15 00	
Dorothy Perkins. 6 to 12 in., strong.	25	1 75	15 00	
Farquhar. 1 to 1 1/2 ft., strong	25	1 75	15 00	
setigers. Prairie Rose, 3 to 4 ft	25 50	1 75 4 00	$\frac{15}{35} \frac{00}{00}$	
W. C. Egan. 1 to 2 ft., strong.	25	1 75	15 00	
2 to 3 ft. 3 to 4 ft. sempervirens. Coral Honeysuckle. 2 to 3 ft. Lycium chinense. 2 to 3 ft. 3 to 4 ft. Rosa, Crimson Rambler. Strong Dorothy Perkins. 6 to 12 in., strong. Farquhar. 1 to 1½ ft., strong. Lady Gay. 6 to 12 in., strong. setigers. Prairie Rose. 3 to 4 ft. W. C. Egan. 1 to 2 ft., strong. wichuraiana. Strong. Tecoma grandifiora. Trumpet Vine. 1 to 1½ ft	25	1 75	15 00	
Tecoma grandinora. Trumpet Vine.	75	6 00		
radicans	20	1 50	12 00	80 00
Vitis aconitifolia dissecta. 1½ to 2 ft. 2 to 3 ft brevipedunculata. 1 to 2 ft	. 30	2 50	20 00	
2 to 3 ft	50 25	4 00 2 00	30 00 18 00	
2 to 3 ft	40	3 00	25 00	
2 to 3 ft  coignetiæ. 6 to 8 in, seedlings 3 to 4 ft	20	1 00	8 00	
3 to 4 ft	40	2.00		
cordata, 2 to 3 ft	35 35	3 00		
concord. Strong	50	4 00		
discolor. 3 to 4 lt	. 50	4 00		
vulning, 11% to 2 ft	20	1.50	10 00	
vulpina. 1½ to 2 ft	35	3 00	25 00	
Wistaria chinensis alba. 1½ to 2 ft	60	5 00		
Wistaria chinensis alba. 1½ to 2 ft magnifica. 3 to 4 ft multijuga. 2 to 3 ft	1 00	8 00		
	2 00	0.00		

## Hardy Herbaceous Perennials

Eac		10	100
Actæa rubra. Red Baneberry\$0	30 \$3	2 00 \$	15 00
Amsonia tabernaemontana		1 75	12 00
Anemone japonica, Queen Charlotte	25 5	2 00	15 00
	25 :	2 00	15 00
Aralia racemosa	20	1 75	12 00
Armeria robusta	20	1 75	12 00
Aruneus aruneus	20	1 25	10 00
Asarum arifolium	35 3	3 00	
Asters, in variety		25	10 00
	40	3 00	

HARDY HERBACEOUS PEREN			ntinue	d
Baptisia tinctoria. Yellow Indigo. E	ach -		100	1,000
Ileavy clumps\$0 Calopogon pulchellus	20	\$2 50 1 50	\$15 00 12 00	
Calopogon pulchellus	20	1 25 1 75	10 00	
Cassia marylandica	20	1 50	15 00 12 00	
	20	$\frac{1}{1} \frac{25}{50}$	10 00	
Chelone glabra. Turtle-Head	20 20	1 50	12 00 12 00	
Chrysanthemums. Hardy	25	2 00	15 00	
Cimicifuga americanaracemosa. Black Snakeroot	20 20	1 50 1 50	12 00 12 00	
Convallaria majalis. Lily-of-the-Valley.	15	1 00	8 (H)	
Cornus canadensis. "Collected" clumps Cypripedium acaule. Moccasin Flower.	15 20	1 00 1 50	8 00	\$90 00
Cypripedium acaule. Moccasin Flower.	15	1 25	10 00	****
reginæ. Showy Lady's Slipper.	30	2 50	20 00	
o to 4 crowns	75	6 00	50.00	
5 to 6 crowns		10 00 15 00	80 00	
Dianthus deltoides Dicentra eximia. Wild Bleeding-Heart	25	1.50	12 00	
Dicentra eximia. Wild Bleeding-Heart.,	20 35	1 50 3 00	12 00	
spectabilis. Bleeding-Heart	0.0	B 00		
torm, with pure white or delicate		1 00	6 00	
pink flowers		7 (1/1)	() ()()	
species with red nowers		1 00	6 00	
Drosera rotundifolia	00	1 00 8 00	6 00	
Erythronium albidum. Leaves not mot-				
tled. Flowers white, yellow at base  americanum. Bright yellow. Leaves		1 50	12 00	
mottled white. Common throughout				
eastern states		50	2 (0)	16 00
often 4 to 5 on a stem, and richly				
mottled leaves		50	2 00	16 00
center, tips becoming pink		1.00	1 ()()	35 00
hartwegi. Yellow, each flower on a		1.00	1 00	35 00
separate stalk		50	2 50	16 00
separate stalk hendersoni. Flowers light purple with		1.00	1 ()()	25 00
dark centersrevolutum. Pink flowers, becoming		1 00	4 00	35 00
purple	12.5	1 00	4 00	35 00
Eulalia gracillima Eupatorium ageratoides. White Snake-	25	2 00	15 00	
root	15	1 25	10 00	
purpureum. Trumpet Weed Festuca glauca	20	1 75 1 50	15 00 12 00	
Funkia grandifloralaneifolia	25	2 00 2 00	15 00	
Galax aphylla. Galax, or Coltsfoot	25 35	2 25	15 00 18 00	
Gypsophylla paniculata	25	1 50	12 00 8 00	
Habenaria cillaris, Yellow Orchis, Helenium autumnale	1.5	1 00	5 00	
	20	1 25	10 00	
Helonias bullata. Swamp Pink	20	1 25 1 50	10 00	
middendorffi	20	1 50		
sieboldi	20	1 50 1 50	12 00	
thunbergi	20	1 50		
Heuchera americana sanguinea. Coral Bells.	15 20	1 00	8 00 10 00	
Heracleum japonicum	7.5	6 00	(10)	
Hibiscus, Mallow Marvels. Assorted	50	4 00		
Crimson Eve	20	1 25	10 00	
Hydrastis canadensis. Golden Seal Iberis sempervirens	15 25	1 00	8 00 12 00	
Iris cristatagermanica. Mixed varieties	20	1 50	12 00	
germanica. Mixed varieties	20	1 50 1 50	12 00 12 00	
pseudacorus	20	1 50	12 00	
pumila sibirica, Snow Queen	20	1 50	12 00	
verna	20	1 50 1 50	12 00	
vernaversicolor. Blue Flag Lacinaria pumila. Button Snakeroot	15 20	1 00 1 50	$\frac{8}{12} \frac{00}{00}$	
pycnostachya	20	1 50	12 00	
spicata	15	1 25	10 00	
Lilium auratum. Gold-banded Lily. 2 to Large flowers; white, more or less n	o 4 f	t.		
with bands of yellow, and purple	spot	S.		
Large flowers; white, more or less n with bands of yellow, and purple Plant among Rhododendrons or shrubs. Of easy culture, but dies time and must be replaced. 8 to 9 in.	othe	n 10	100	
time and must be replaced. 8 to 9 in.		.81 50	\$12 00 18 00	
bolanderi. 1 to 3 ft. Very rare. Deep cri red flowers, dotted purple, bell-shaped rich, sandy soil, and good drainage	mear	2 00	18 00	
red flowers, dotted purple, bell-shaped	. Giv	'e		
rich, sandy soil, and good drainage		. 5 00	40 00	

HARDY HERBACEOUS PERENNIALS, co	ntinued	
Lillium canadense, Wild Yellow Lily, 2 to 5 ft. 10	100	1,000
Yellow or orange, usually spotted with brown. July. Very persistent, becoming permanently established. Loves deep, rich		
permanently established. Loves deep, rich soil and shade, but stands open sun well.		
2nd size	\$5 00	\$36 00
lst size	7 00	60 00
many, in a raceme, pure white and very fragrant. Very ornamental, though sub-		
ject to disease	10 00	80 00
ject to disease. 1 25 carolinianum. Carolina Lily. 1 to 3 ft. Rare species of recurved type. Flowers orange, very fragrant, one to three on a stem.		
very fragrant, one to three on a stem. Stands dry conditions well. 2nd size 1 00	7 00	60 00
Stands dry conditions well. 2nd size 1 00 1st size	10 00	00 00
lst size		
	16 00 25 00	
Ist size	20 00	
it has proved the leader in the bell-shaped type of hardy Lilies. Dark red-brown petals.		
beautifully spotted. An exquisite species		
2nd size. 1 00	6 00	50 00
lst size 1 25  hansoni (maculatum). 3 to 4 ft. Japanese species; very hardy. Flowers in loose racemes, bright orange strongly marked with purple spote on lower helf.	10 00	80 00
species; very hardy. Flowers in loose ra-		
cemes, bright orange strongly marked with purple spots on lower half	60 00	
puberulum (humboldti). 4 to 6 ft. Stout		
ted. Should have very rich soil. 7 to 8 in 3 00	18 00	140 00
8 to 9 in	25 00 40 00	180 00
kelloggi. Slender stem, 3 to 4 ft. high, with three to fifteen pink flowers. Revolute type.		
Very fragrant	40 00	
shaped flowers. Give moist, boggy situation. 6 00  pardalinum. 3 to 6 ft. Very leafy stems. Very showy flowers, orange centers and crimson tips. A bog variety, but thrives if kept well mulched. Single eyes 1 25  Heavy. 1 75	40 00	
pardalinum. 3 to 6 ft. Very leafy stems. Very		
tips. A bog variety, but thrives if kept well	10.00	
Heavy	10 00 12 00	
parryi. Slender, leafy stem 3 to 5 ft. high. One of the few yellow-flowered varieties; trumpet-shaped; very fragrant. A very difficult species to grow, and must have moist location to thrive. Medium. 6 00		
pet-shaped; very fragrant. A very difficult		
species to grow, and must have moist loca- tion to thrive. Medium 6 00	40 00	
Large	60 00	
L. pardalinum, but flowering much earlier. 2 50	20 00	
parvum. Small bog Lily. 3 to 4 ft. high; small bell-shaped flowers, orange with crimson		
Large	25 00	
Large	40 00	
Large		
center. Stands sunny, dry situations better perhaps than any other Lily	8 00	60 00
rubescens. 3 to 5 ft. Tubular, very fragrant	0.00	00 00
flowers, white, dotted purple, changing later to deep purple. Requires rich soil and per-		
feet drainage	45 00	
of L. speciosum are good among Rhododen-		
drons or shrub borders if planted near the edge, blooming up to frost. 8 to 9 in 2 00	18 00	160 00
9 to 11 in	25 00	220 00
very normerous. 8 to 9 m	12 00	100 00
9 to 11 in	16 00	140 00
Probably the best variety for the ordinary	12 00	100.00
garden. 8 to 9 in	16 00	$100 00 \\ 140 00$
superbum. Turk's-Cap Lily. 3 to 6 ft. No description will do justice to this magnificent		
American Lily, Golden, recurved petals,		
flowering in perfect pyramids, often forty on a single stalk. A clump is literally a blaze		
of scarlet and gold. 3rd size	2 00 5 00	18 00 30 00
1st size 1 00	8 00	60 00
tenuifolium. Siberian Coral Lily. 1 to 2 ft. Flowers one to twenty on rather short ra-		
ceme, nodding, rich scarlet. Does well in	12 00	100 00
tigrinum. Tiger Lily. 2 to 5 ft. An old-fash-	12 00	200 00
ioned variety of very easy culture. Flowers		
three to ten, nodding, bright red, thickly spotted with bright purplish spots. Ordi-	8 00	60 00
nary garden soil 1 00	0 00	00 00

HARDY HERBACEOUS PEREN Lilium tigrinum flpl. Double form			ntinue	1
tigrinum.			100	
washingtonianum purpureum. 6 to Stout stem, often fifteen to twent	y-five			
flowers of white to rich wine-color. ( the finest Pacific Coast species; of eas ture given good, rich soil. 6 to 8 in. 8 to 9 in 9 to 11 in	y cul-		890 00	
ture given good, rich soil. 6 to 8 in.		4 00	\$20 00 30 00	
9 to 11 m		5 00	40 00	
Lycopodium. In variety\$0		10 \$1 00	100 \$8 00	1,000
Lysimachia nummularia Lythrum salicaria roseum	15 20	1 00 1 50	8 00 12 00	á ·
Monarda didyma	20 20 20	1 50	12 00	
didyma alba	20	1 25 1 25	10 00 10 00	
Opuntia vulgaris	35 75	3 00 \$6 00	\$50 00	
Strong plants, with 2 or 3	25	1 75	15 00	
Panax quinquefolium. 3d size		60 85	5 00 7 50	\$35 00 65 00
lst size	20	1 25 1 50	10 00	90 00
Petasites fragrans	20	1 50	12 00	
Phlox amoenadecussata, in variety	20 30	1 00 2 00	8 00 18 00	
subulata. Moss Pink	15 15	$\frac{1}{1} \frac{00}{00}$	8 00	
Polygonatum commutatum. Solomon's Seal.	20	1 50	12 00	
omon's Scal	15 15	$\frac{1}{1} \frac{00}{00}$	8 00 8 00	
Ranunculus repens	20 20	1 50 1 50	12 00	
Rudbeckia newmani	20	1 50	12 00	
Sanguinaria canadensis. Bloodroot. (Sanguinaria is shipped entirely at			0.00	20.00
consignce's risk)	15 20	75 1 25	6 00	36 00
Sarracenia drummondi	25 25	1 75 1 75	15 00 15 00	
flava	25	1 75	15 00	
psittacina purpurea. Northern Pitcher Plant	25 20	1 75 1 25 1 75	15 00 10 00	
variolaris (minor)	25 25	1 75 1 75	15 00 15 00	
Sedum (Stonecrop), in varietylydium	15 20	$\frac{1}{1} \frac{00}{50}$	8 00 12 00	
spectabile telephium hybridum	20 20	1 50 1 50	12 00 12 50	
Sempervivum acuminatum. Single	20	1 25	10 00	
arachnoideum. Single	20 20	1 25 1 25	10 00 10 00	
arenarium. Single. cornutum. Single fimbriatum. Single mittenianum nanum. Single	20 20	1 25 1 25	10 00 10 00	
Soboliterellim (globilerium), Single	20 20	1 25 1 25	10 00 10 00	
tectorum. Singleviolaceum. Single	20 20	1 25 1 25	10 00	
Shortia galacifolia. 2d size	40	3 00	10 00 25 00	
Solidago, in variety	75 15	6 -00	50 00 10 00	90 00
Snigelia marilandica	50	4 00	30 00	
Stenanthium robustum. Mountain Feather Fleece. 2nd size	20	1 50	12 00	
Ist size	40 15	3 00	26 00 8 00	
Thermopsis caroliniana Trillium cernuum. 12 to 15 in. Nodding	25	1 75		
white flowers; not very showy		1 00	8 00	
in. Large; red fruit; very ornamen-				
tal; brown-purple, often greenish. April and May. 2nd size		40	3 00	18 00
erectum album. White form of T.		75	5 00	30 00
grandiflorum. Large-flowered Wake		1 00	8 00	
Robin. 8 to 18 in. The finest and largest species. Flowers 2 to 3				
inches across, in April and May. One of our best early spring flowers.				
White, turning rose-color or marked with green. 2nd size		20	1 50	.19.00
1st size		30 60	1 50 3 50	12 00 20 00
drooping		1 00	8 00	
resembling T. grandiflorum		75	5 00	30 00
recurvatum. 12 to 15 in. Strong- growing; erect; dark purple flowers.		75	6 00	50 00
17				

#### Catalog of BOXFORD NURSERY

HARDY HERBACEOUS PERENNIALS	S. cor	tinue	
Trillium sessile californicum. 12 in. Each	10	100	1.000
Very large leaves; flowers pure white	10	100	1,000
	75	\$6 00	\$50 00
sessile, Snow Queen. Same, with			
broader petals; white flowers with creamy centers	75	6.00	50 00
sessile rubrum. Same, with narrow	10	0 00	30 00
petals; deep reddish purple	75	6 00	50 00
stylosum. Nodding Trillium. 1 to 11/2			
ft. Our rarest mountain species.			
April and May. Large, wavy petals of beautiful pink, 2nd size	60	4 00	30.00
- 1st size	75	6 00	40 00
undulatum (erythrocarpum).			
Painted Wake Robin, 8 in. Earli-			
est, blooming in April. Showy flowers and fruit; white, with pur-			
ple stripes. 2nd size	60	4 00	30 00
1st size	75	6 00	40 00
	1 00	8 00	
	1 00	8 00	
	1 25	8 00	co 00
	00 1	8 00	60 00
	75	14 00	
Yucca flaccida. Clumps 50	1 00		
glauca. 'Adam's Needle. Green 30	2 50		

## Hardy Native Ferns

maray manyo relati	0	
Sizes following Ferns indicate the size the plant may attain under cultivation.	be expe	ected to
Adiantum pedatum. Maidenhair Fern.	100	1,000
8 to 20 in	\$8 50	\$75 00
Asplenium angustifolium. 3 to 4 in	10 00	
ebeneum. 9 to 18 in 1 00	8 00	
filix-fœmina. Lady Fern. 16 to 40 in 1 00	8 00	
thelypteroides. Silvery Splcenwort. 24 to 36 in. 1 00	8 00	
trichomanes. Maidenhair Spleenwort. 3 to 8 in. 1 00	8 00	
Botrychium ternatum dissectum obliquum.		
4 to 16 in 1 00	8 00	
virginianum. Virginia Grape Fern. 12 to 24 in. 1 00	8 00	
Camptosorus rhizophyllus. Walking Fern.		
4 to 12 in 1 25	10 00	
Cheilanthes fendleri. Lip Fern 4 00		
Cystopteris bulbifera. Bladder Fern. 12 to 21 m. 75	6 00	
fragilis. Brittle Fern. 4 to 12 in 1 00	8 00	
Dicksonia punctilobula. Hay-scented Fern.	0.00	(2/2 /2/2
20 to 40 in 1 00	8 00	60 00
Dryopteris (Aspidium) acrostichoides. Dagger Fern. 8 to 20 in	6.00	E0. 00
Fern. 8 to 20 in	6 00 12 50	50 00
cristatum. 12 to 24 in	6 00	
cristatum.         12 to 24 in	8 50	
filly, mas 12 to 44 in 1 50	12 50	
goldieana. Goldie's Fern. 24 to 40 in. 1 50 marginalis. Shield Fern. 12 to 28 in. 75 munitum. Chamissos Shield Fern. 2 00	12 50	
marginalis. Shield Fern. 12 to 28 in	6 00	50 00
munitum. Chamissos Shield Fern 2 00	17 50	
noveboracensis. New York Fern	6 00	
spinulosa. Spinulose Shield Fern	8 00 12 50	
thelypteris. Marsh Shield Fern	8 00	
Lygodium palmatum. Climbing Fern.	0 00	
12 to 36 in	12 50	
Onoclea sensibilis. Sensitive Fern. 4 to 12 in 1 00	8 00	60 00
struthiopteris. 2 to 10 ft	8 00	
struthiopteris.         2 to 10 ft	8 00	
Osmunda cinnamomea. Cinnamon Fern.	10.00	100.00
32 to 63 in	12 00 12 00	100 00
gracilis. 2 to 6 in	8 00	100 00
gracilis. 2 to 6 in	12 00	
Pellæa atropurpurea. Purple-stemmed Cliff		
Brake. 4 to 24 in 1 50	12 00	
densa 1 00	5 00	
gracilis. Slender Cliff Brake. 2 to 6 in 1 50	12 00	
Phegopteris dryopteris. Oak Fern. 6 to 10 in 1 00 hexagonoptera. Broad Beech Fern. 7 to 12 in 1 00	8 00 8 00	
	8 00	
Polypodium falcatum, 6 to 15 in	10 00	
vulgare. Polypody. 3 to 6 in	6 00	45 00
Polypodium falcatum. 6 to 15 in		
4 to 36 in	5 00	30 00
Scolopendrium vulgare. 3 00 Woodsia ilvensis. Rusty Woodsia. 1 00	20 00	
woodsia livensis. Rusty Woodsia	8 00 8 00	
obtusa. Blunt-lobed Woodsia. 8 to 20 in 1 00 Woodwardia angustifolia 1 50	12 50	
virginica. Virginia Chain Fern. 24 to 64 in 1 00	8 00	
	- 40	
18		

## **CATALOG OF HIGHLANDS NURSERY**

#### PART II

At my Highlands Nursery, Pincola, North Carolina, 3,800 ft. clevation on the crest of the Alleghany Mountains, one may see Rhododendrons, Azaleas, Leucothoës, Kalmias, and Andromedas growing in all sizes by tens of thousands in single species, and nowhere clse can be found such a collection of rare American plants of unquestionable hardiness—the best for American gardens.

The Carolina Mountains is the native home of the most beautiful Broad-leaved Evergreens and Ericaceous Shrubs. Highlands Nursery not only ships direct to customers, but is a great propagating plant, supplying material for my Boxford Nursery.

## **DECIDUOUS AND EVERGREEN** Trees, Shrubs, and Woody Vines

NOTE. All plants are transplanted a	nd	nursery	-grown,	unless
plainly marked otherwise.	nto.	arowing.	ot mar H	ighlands
This is a catalog of nursery-grown plan				
Nursery, Pineola, North Carolina. Eac		10	100	1,000
*Abies concolor. 6 to 12 in	30	\$1 25	\$10 00	
1 to 2 ft	10	2 50 50	20 00 4 00	\$30 00
Abies fraseri. 3 to 6 in	15	75	6 00	50 00
1 to 2 ft	35	2 00	18 00	150 00
2 to 3 ft	75	5 00	40 00	300 00
3 to 4 ft 1	50	12 50	100 00	600 00
4 to 5 ft	50	20 00	150 00	
	50	30 00	200 00	
Acer rubrum. 2 to 3 ft	20	1 50		
3 to 4 ft	30	2 (0)		
saccharum. Sugar Maple.				
6 to 12 in		50	4 00	25 00
1 to 2 ft		60	5 00	40 00
2 to 3 ft	0.5	75	6 00	50-00
3 to 4 ft	25	1 25	10 00	
4 to 6 ft	40	3 (0)	25 00	
spicatum. 1 to 2 ft	20	1 00	8 50	
2 to 3 ft	35	2 00		
3 to 4 ft	50	3 50		
4 to 6 ft	75	5 (0)		
Adelia acuminata. See Forestiera.	10	50	4 00	
Æsculus octandra. 6 to 12 in. Seedlings.	20		6 00	
viridis. 1 to 2 ft	50	75 3 00	25 00	
Alnus viridis. 2 to 4 ft., clumps	25	1 50	20 00	
rugosa. 2 to 3 ft	15	75	6 00	
Amelanchier botryapium. 1 to 2 ft	20	1 00	8 00	
2 to 3 ft	25	1 25	10 00	
3 to 4 ft	50	4 00	10 00	
6 to 8 ft 8 to 10 ft	75	6 00		
	00	8 00		
Amorpha fruticosa, 6 to 12 in. Seedlings.	30	2 00	10 00	
glabra (montana). 1 to 2 ft	25	2 00	200	
nana. 3 to 6 in. Seedlings	25	2 00		
Ampelopsis quinquefolia engelmanni.				
Light	15	75	6 00	50 00
Strong	25	1 25	10 00	80 00
Andromeda floribunda. See Pieris flori-				
bunda.				
mariana. See Pieris mariana.				
Aralia spinosa. 2 to 4 ft	25	1 50	12 50	
Aronia arbutifolia. 6 to 12 in	20	1 25	10 00	
1 to 2 ft	30	1 75	15 00	
2 to 3 ft	40	2 50	22 50	
3 to 4 ft	75	4 ()()	37 50	
erythrocarpa, Dwarf Variety.	43.8	42 60.00		
1 to 2 ft	35	2 00		
2 to 3 ft	50	3 00		
3 to 4 ft	75	5 00		
4 to 5 ft 1	00	8 00		
erythrocarpa, Tall Variety. 2 to 3 ft.	50	4 00		
3 to 4 ft	75	6 00		
melanocarpa (nigra). Shining black				
fruit.	90	1 25	10.00	00.00
1 to 2 ft	20		10 00	90 00
2 to 3 ft	35 60	3,50	17 50 32 50	
3 to 4 ft	75	5 00	()(,()	
4 to 5 ft				
Evergreens are marked wi	th a	star (*)		

#### **AZALEAS**

Azalan	arborescens. Fragrant white.	
Azaica	albuiescens. Each 10 10	0
	6 to 12 in\$0 35 \$2 00 \$17	50
	1 to 1½ ft 60 3 50 32	
	1½ to 2 ft 75 5 00 40	00
	6 to 12 in., clumps 1 00 6 00 50	00
	1 to 1½ ft., clumps 1 25 8 50 75	00
	1 ½ to 2 ft., clumps 2 00 15 00 125	00
	2 to 3 ft., clumps	

#### Catalog of HIGHLANDS NURSERY

1   1   1   1   1   1   1   2   5   2   2   2   5   2   2   1   5   1   5   1   5   1   5   5   3   0   2   2   5   0   225   0   0   225   1   5   0   1   1   1   1   1   1   1   1   1	TREE CURING AND WOODV	3/1	NES 0	ontinua	d
G to 12 in	Azalan lutan (calendulacea). E				
1 to 1 1/2 ft.	6 to 12 in\$0	25	\$1 50	\$12 50	\$100 00
1	1 to 1½ ft				200 00 225 00
1 to 1 ½ tt., clumps	D to 12 in., clumps	50			225 00
Name	1 to 1½ ft., clumps	75 00		50 00	400 00
A to 5 ft, clumps	2 to 3 ft., clumps 1	50 75	12 50	100 00	
Azalea vaseyi.   Southern Arales.   6 to 12 in., clumps.   60   5 00   40   00	4 to 5 ft., clumps 2	25		220 00	
Azalea Vaseyi. Southern Azales. 6 to 12 in 40 2 50 22 50 6 to 12 in 40 0 2 50 32 50 6 6 to 12 in 40 0 2 50 32 50 6 6 to 12 in 40 0 5 50 00 70 00 71 to 1½ ft clumps. 75 6 00 50 00 70 00 71 to 1½ ft clumps. 75 6 00 50 00 70 00 71 50 150 00 1 to 1½ ft clumps. 75 5 00 40 00 350 00 1½ to 1½ ft clumps. 75 5 00 40 00 350 00 1½ to 1½ ft clumps. 75 5 00 40 00 350 00 1½ to 1½ ft clumps. 1 25 10 00 80 00	6 to 12 in				100 00
1 to 11/2   ft.					
Viscosa		60	3 50		
viscosa         6 to 12 in.         25         1 50         1 50         12 50         10 100           1 to 1½ it.         35         2 00         17 50         150 00         350 00           1 y/s to 2 it.         clumps         1 00         6 00         50 00         250 00           2 to 2½ it.         clumps         1 00         6 00         50 00         80 00           Betula lenta.         6 to 8 ft.         50         3 00         8 to 10 ft.         85         6 00           1 to 12 it.         1 50         12 00         15 00         8 to 10 ft.         85         6 00           2 dyanthus fertilits.         2 to 3 ft.         2 to 3 ft.         2 to 3 ft.         4 to 6 ft.         4 to 6 ft.           2 do 3 ft.         2 to 3 ft.         2 to 3 ft.         4 to 6 ft.         4 to 6 ft.         4 to 6 ft.           3 to 4 ft.         4 to 6 ft.         50         3 to 2 to 3 ft.         4 to 6 ft.         50         3 to 2 to 3 ft.         4 to 6 ft.         4 to 5 ft.         50         4 to 6 ft.         4 to 6 ft. <th>I to 1 ½ ft., clumps</th> <th></th> <th></th> <th>50 00</th> <th></th>	I to 1 ½ ft., clumps			50 00	
Benzoin sestivale	micanen 6 to 19 in			12 50 17 50	100 00 150 00
Benzoin sestivale	1 to 1½ ft., clumps			40 00	350 00
Retula lenta	Z to Z ½ it., clumps 1			80 00	
Calycanthus fertilis. 2 to 3 ft., clumps	2 to 3 ft	25	2 00		
Calycanthus fertilis. 2 to 3 ft., clumps	Setula lenta. 6 to 8 ft	85	6 00		
Fibridus	10 to 12 it 1	25	2 00	15 00	
Carpinus carolinians (americans)	3 to 4 ft., clumps	15	75	6 00	
Carpinus caroliniana (americana)	2 to 3 ft			10 00 20 00	
6 to 8 ft	Carpinus caroliniana (americana).	30	2 00	15 00	
Castanea pumilla. Chinkapin.  1 to 2 ft	6 to 8 ft			25 00	
1 to 2 ft	10 to 12 ft 1				
3 to 4 ft	1 to 2 It				
Celastrus seandens	3 to 4 ft	60	4 50	40 00	
Chamedaphne calyculata.   35   2 50   Chamedaphne calyculata.   6 to 12 in.   25   1 50   12 50   1 to 1½ ft.   35   2 00   Chionanthus virginica.   1 to 2 ft.   15   1 00   8 00   Clethra acuminata.   Southern Pepper Bush.   1 to 2 ft.   25   1 50   12 50   4 to 6 ft.   75   4 00   35 00   6 to 8 ft.   1 00   7 50   50 00   clethra acuminata.   Southern Pepper Bush.   1 to 2 ft.   20   1 00   8 50   2 to 3 ft.   25   1 50   12 50   4 to 6 ft.   1 00   7 50   50 00   clethra acuminata.   Sweet Pepper Bush.   20   1 00   8 50   1 to 2 ft.   35   2 00   17 50   1 to 2 ft.   35   2 00   17 50   1 to 1½ ft. clumps.   60   4 00   37 50   1½ to 2 ft. clumps.   75   5 00   45 00   Comptonia asplenifolia.   1 to 2 ft.   25   1 50   12 50   Comptonia asplenifolia.   1 to 2 ft.   25   1 50   12 50   Cornus amomum (sericea).   3 to 4 ft.   15   75   6 00   Cornus amomum (sericea).   3 to 4 ft.   15   75   6 00   Corylus americana.   1 to 2 ft.   20   1 50   12 00   Corylus americana.   1 to 2 ft.   25   1 50   12 50   2 to 3 ft.   35   2 50   20 00   Corylus americana.   1 to 2 ft.   25   1 50   12 50   Corylus americana.   1 to 2 ft.   25   1 50   12 50   Corylus americana.   1 to 2 ft.   25   1 50   12 50   Corylus americana.   1 to 2 ft.   25   1 50   12 50   Corylus americana.   1 to 2 ft.   25   1 50   12 50   Corylus americana.   1 to 2 ft.   20   1 50   12 00   Corylus americana.   1 to 2 ft.   20   1 50   12 00   Corylus americana.   1 to 2 ft.   20   1 50   12 00   Corylus americana.   1 to 2 ft.   20   1 50   12 00   Corylus americana.   1 to 2 ft.   20   1 50   12 00   Corylus americana.   1 to 2 ft.   20   1 50   12 00   Corylus americana.   1 to 2 ft.   20   1 50   12 00   Corylus americana.   1 to 2 ft.   20   1 50   12 00   Corylus americana.   1 to 2 ft.   20   1 50   12 00   Corylus americana.   1 to 2 ft.   20   1 50   12 00   Corylus americana.   1 to 2 ft.   20   1 50   12 00   Corylus americana.   1 to 2 ft.   20   1 50   12 00   Corylus americana.   1 to 2 ft.   20   1 50   12 00   Corylus american	Celastrus scandens. 6 to 12 in	20	1 00	8 50	
6 to 12 in	2 to 3 ft			12 50	
Clethra acuminata. Southern Pepper	Chamsedaphne calyculata. 6 to 12 in			12 50	
Clethra acuminata. Southern Pepper	Chionanthus virginica. 1 to 2 ft			8 00	
2 to 3 ft	Clethra acuminata. Southern Pepper Bush. 1 to 2 ft				
6 to 8 ft. 1 00 7 50 50 00  alnifolia. Sweet Pepper Bush. 6 to 12 in. 20 1 00 8 50 1 to 2 ft. 1 35 2 00 17 50 1 to 1½ ft., clumps. 60 4 00 37 50 1 ½ to 2 ft., clumps. 75 5 00 45 00  Comptonia asplenifolia. 1 to 2 ft. 25 1 50 12 50 "Collected". 10 50 4 00 30 00  Cornus amomum (sericea). 3 to 4 ft. 15 75 6 00 4 to 6 ft. 20 1 50 12 00  Corylus americana. 1 to 2 ft. 20 1 50 12 50 2 to 3 ft. 30 2 50  Corylus americana. 1 to 2 ft. 25 1 50 12 50 2 to 3 ft. 30 2 50  Corylus americana. 1 to 2 ft. 25 1 50 12 50 2 to 3 ft. 30 2 50  Corylus americana. 1 to 2 ft. 25 1 50 12 50 2 to 3 ft. 30 2 50  Corylus americana. 1 to 2 ft. 25 1 50 12 50 2 to 3 ft. 35 2 50 15 00 12 50 00  Corylus americana. 1 to 2 ft. 20 1 50 12 50 2 to 3 ft. 35 2 50 15 00 12 50 00  Corylus americana. 1 to 2 ft. 20 1 00 8 00 70 00 3 to 4 ft. 50 4 00 30 00  Corylus americana. 1 to 2 ft. 20 1 00 8 00 70 00 3 to 4 ft. 50 4 00 30 00  A to 6 ft. 85 7 00 60 00  Corylus americana. 1 to 2 ft. 20 1 00 8 50 70 00  Corylus americana. 1 to 2 ft. 20 1 00 8 50 70 00  Corylus americana. 1 to 2 ft. 20 1 00 8 50 70 00  Corylus americana. 1 to 2 ft. 20 1 00 8 50 70 00  Corylus americana. 1 to 2 ft. 20 1 00 8 50 70 00  Corylus americana. 1 to 2 ft. 20 1 00 8 50 70 00  Corylus americana. 1 to 2 ft. 20 1 00 8 50 70 00  Corylus americana. 1 to 2 ft. 20 1 00 8 50 70 00  Corylus americana. 1 to 2 ft. 20 1 00 8 50 70 00  Corylus americana. 1 to 2 ft. 20 1 00 8 50 70 00  Corylus americana. 1 to 2 ft. 20 1 00 8 50 70 00  Corylus americana. 1 to 2 ft. 20 1 00 8 50 70 00  Corylus americana. 1 to 2 ft. 20 1 00 8 50 70 00  Corylus americana. 1 to 2 ft. 25 1 50 12 00  Corylus americana. 1 to 2 ft. 25 1 50 12 00  Corylus americana. 1 to 2 ft. 25 1 50 12 00  Corylus americana. 1 to 2 ft. 25 1 50 12 00  Corylus americana. 1 to 2 ft. 25 1 50 12 00  Corylus americana. 1 to 2 ft. 25 1 50 12 00  Corylus americana. 1 to 2 ft. 25 1 50 12 00  Corylus americana. 1 to 1 10 10 10 10 10 10 10 10 10 10 10 10 1	2 to 3 ft	25 75		35 00	
6 to 12 in	alnifolia. Sweet Pepper Bush.	00	7 50	50 00	
Comptonia asplenifolia. 1 to 2 ft. 25 1 50 12 50    Cornus amomum (sericea). 3 to 4 ft. 15 75 6 00   Cornus amomum (sericea). 3 to 4 ft. 15 75 6 00   Cornus amomum (sericea). 3 to 4 ft. 15 75 6 00   Cornus amomum (sericea). 3 to 4 ft. 15 75 6 00   Cornus amomum (sericea). 3 to 4 ft. 20 1 50 12 00   Cornus americana. 1 to 2 ft. 20 1 50 12 50   Cornus americana. 1 to 2 ft. 25 1 50 12 50   Cornus americana. 1 to 2 ft. 25 1 50 12 50   Cornus americana. 1 to 2 ft. 25 1 50 12 50   Cornus americana. 1 to 2 ft. 20 1 35 2 50 20 00   Cornus americana. 1 to 2 ft. 20 1 50 4 00 30 00   Cornus americana. 1 to 2 ft. 20 1 50 4 00 30 00   Cornus americana. 1 to 2 ft. 20 1 50 4 00 30 00   Cornus americana. 1 to 2 ft. 20 1 50 12 00 125 00   Cornus americana. 1 to 2 ft. 20 1 50 12 00 125 00   Cornus americana. 1 to 2 ft. 20 1 50 12 00   Cornus americana. 1 to 2 ft. 20 1 50 12 00   Cornus americana. 1 to 2 ft. 20 1 50 12 00   Cornus americana. 1 to 2 ft. 20 1 50 12 00   Cornus americana. 1 to 2 ft. 20 1 00 8 50   Cornus americana. 1 to 2 ft. 20 1 00 8 50   Cornus americana. 1 to 2 ft. 20 1 00 8 50   Cornus americana. 1 to 2 ft. 20 1 00 8 50   Cornus americana. 1 to 2 ft. 20 1 00 8 50   Cornus americana. 1 to 2 ft. 20 1 00 8 50   Cornus americana. 1 to 2 ft. 20 1 00 8 50   Cornus americana. 1 to 2 ft. 20 1 1 50 12 00   Cornus americana. 20 1 1 50 12 00   Cornu	6 to 12 in			8 50 17 50	
Comptonia asplenifolia. 1 to 2 ft.         25         1 50         12 50           "Collected"         10         50         4 00         30 00           Cornus amomum (sericea). 3 to 4 ft.         15         75         6 00         30 00           4 to 6 ft.         20         1 50         12 00         2 50           Corylus americana. 1 to 2 ft.         25         1 50         12 50         2 00         2 00         3 50         2 50         20 00         3 12 50         2 00         3 12 50         2 00         3 12 50         2 00         3 12 50         2 00         3 12 50         2 00         3 12 50         2 00         3 00         4 00         30 00         4 00         30 00         4 00         30 00         4 00         30 00         4 00         30 00         4 00         30 00         4 00         30 00         4 00         30 00         4 00         30 00         4 00         30 00         4 00         30 00         4 00         30 00         4 00         30 00         4 00         30 00         4 00         30 00         4 00         30 00         125 00         125 00         125 00         125 00         125 00         125 00         125 00         125 00         125 00	1 to $1\frac{1}{2}$ ft., clumps			37 50 45 00	
Cornus amomum (sericea). 3 to 4 ft.	Comptonia asplenifolia. 1 to 2 ft	25 10			30.00
Total	Cornus amomum (sericea). 3 to 4 ft	15	75	6 00	00, 00,
	fiorida. 1 to 2 It	20	1 50		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Corylus americana. 1 to 2 ft	25	1 50	12 50	
A to 6 it.	3 to 4 ft	50	4 00	30 00	
Cratægus coccinea. 1 to 2 ft. 20 1 50 12 00 2 to 3 ft. 30 2 00 3 to 4 ft. 30 2 00 4 to 5 ft. 60 5 00  punctata. 6 to 12 in. 15 75 6 00 2 to 3 ft. 20 1 00 8 50 2 to 3 ft. 25 1 50 12 00 3 to 4 ft. 35 2 00 17 50 4 to 6 ft. 60 4 00 37 50 6 to 8 ft. 75 6 00  Dendrium. See Leiophyllum.  Diervilla rivularis. 1 to 2 ft. 25 1 50 12 00 2 to 3 ft. 40 3 00 8 essifolia. 1 to 2 ft. 25 2 00 16 00 2 to 3 ft. 40 3 00 8 essifolia. 1 to 2 ft. 25 2 00 16 00	rostrata. 1 to 2 ft	20	1 00	8 00	70 00
Crategus coccinea.     1 to 2 ft.     20     1 50     12 00       2 to 3 ft.     30     2 00       3 to 4 ft.     40     3 00       4 to 5 ft.     60     5 00       punctata.     6 to 12 in.     15     75     6 00     50 00       2 to 3 ft.     25     1 50     12 00     8 50       2 to 3 ft.     25     1 50     12 00     17 50       3 to 4 ft.     35     2 00     17 50       4 to 6 ft.     60     4 00     37 50     6 00       Dendrium. See Leiophyllum.       Diervilla rivularis.     1 to 2 ft.     25     1 50     12 00       2 to 3 ft.     40     3 00       sessifolia.     1 to 2 ft.     25     2 00     16 00	3 to 4 1t	75	5 00	15 00	125 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Cratægus coccinea. 1 to 2 it		2 00	12 00	
punctata.         6 to 12 in         15         75         6 00         50 00           1 to 2 ft         20         1 00         8 50           2 to 3 ft         25         1 50         12 00           3 to 4 ft         35         2 00         17 50           4 to 6 ft         60         4 00         37 50           6 to 8 ft         75         6 00           Dendrium.         See Leiophyllum.         25         1 50         12 00           2 to 3 ft         40         3 00           sessifolia.         1 to 2 ft         25         2 00         16 00           2 to 3 ft         40         3 00	3 to 4 ft		3 00		
2 to 3 ft 25 1 50 12 00 3 to 4 ft 35 2 00 17 50 4 to 6 ft 60 4 00 37 50 6 to 8 ft 75 6 00  Dendrium. See Leiophyllum. Diervilla rivularis. 1 to 2 ft 25 1 50 12 00 2 to 3 ft 40 3 00 sessifolia. 1 to 2 ft 25 2 00 16 00 2 to 3 ft 40 3 00	punctata. 6 to 12 in	15 20	. 75		50 00
4 to 6 ft 60 4 00 37 50 6 to 8 ft 75 6 00  Dendrium. See Leiophyllum.  Diervilla rivularis. 1 to 2 ft 25 1 50 12 00 2 to 3 ft 40 3 00 sessifolia. 1 to 2 ft 25 2 00 16 00 2 to 3 ft 40 3 00	2 to 3 ft	25	1 50	12 00	
Dendrium. See Leiophyllum.         Diervilla rivularis. 1 to 2 ft       25       1 50       12 00         2 to 3 ft       40       3 00         sessifolia. 1 to 2 ft       25       2 00       16 00         2 to 3 ft       40       3 00	4 to 6 ft	60	4 00		
2 to 3 ft     40     3 00       sessifolia.     1 to 2 ft     25     2 00     16 00       2 to 3 ft     40     3 00	Dendrium. See Leiophyllum.			10.00	
2 to a it 40 3 00	2 to 3 ft	40	3 00		
	2 to o it	40	3 00	16 00	
Euonymus americanus.       2 to 3 ft       25       2 00         Forestiera acuminata.       1 to 2 ft       75       4 00	Forestiera acuminata. 1 to 2 ft				

## KELSEY'S HARDY SPECIMEN EVERGREENS

#### Catalog of HIGHLANDS NURSERY

TOFF	SUP	UBS, AND	WOODY	VIN	IFS CO	ntinue	d
Gaylussacia	baccata	a (resinosa).	198	ach	10	100	1,000
	1 to 2 ft	in	\$0	25	\$1 00 1 50	\$8 50 12 50	
ursina. 1 i Halesia carol	to 2 ft			40 25	2 50 1 50	12 00	
	2 to 3 ft			40 50	2 50 4 00	22 00	
4	to vit			75	6 00	50 00	
Hydrangea a	to 8 It		1	25	10 00		
	1 to 2 ft	clumps		30 40	1 75 2 50	15 00 20 00	
	3 to 4 ft	, clumps		50 75	3 50 6 00	30 00	
*Hypericum	aureur	n.				0.00	
				15 20	75 1 25	6 00	
	2 to 3 ft 3 to 4 ft			30 45	2 00		
densifiorur	n. 1 to	2 ft		15 20	75 1 00	6 00 8 00	\$40 00
*prolificun Ilex decidua monticola	1. 1 to	2 ft		30 45	2 00 3 50	12 00 25 00	90 00
Ilex decidua.	1 to 2	ft		25	1 50 2 00	12 00	
	2 to 3 ft 3 to 4 ft			35 50	3 00	17 00 27 00	
monticola.	4 to 6 ft	tain Holly.		75	5 00		
	1 to 2 ft			25 30	1 25 1 75	10 00 15 00	
	3 to 4 ft	Holly.		60	3 50	32 50	
*opaca. A	nerican	Holly.	1		6 00	50 00	
	6 to 12 i 1 to 132	in ft		40 50	2 50 3 00	20 00 27 50	180 00
	7 400 7 14	ft		75 25	4 00 8 00	37 50	
manti al II a ta	3 to 4 ft	12 in. Seedli	î	75	15 00	7 00	
Itea virginic	1 to 2 ft	t	ngs	30	1 00 2 00	7 00	
Itea virginie	a. 1 to 2 to 3 ft	2 ft., clumps t., clumps		30 40	1 75 3 00	15 00	
*Juniper	us vi	rginiana	1. E	ach	10		
	2 to 3 ft		\$0		\$3 00 5 00		
	4 to 6 ft		1	00	8 00 12 00		
	O tO O II	V****		00	12 00		
K	alm	ias (Th					
*Kalmia ang	ustifol	ia. 6 to 12 i	Ea n\$0	ich	in La	urel) 100 \$10 00	1,000
*Kalmia ang	ustifol	ia. 6 to 12 i	Ea n\$0	20 30	10 \$1 25 2 00	100	1,000
*Kalmia ang	ustifol 1 to 1 ½ 1 ½ to 2	ia. 6 to 12 i	n\$0	20 30 50	10 \$1 25 2 00 4 00 50	100 \$10 00 15 00 4 00	\$30 00
*Kalmia ang	ustiful 1 to 1 ½ 1 ½ to 2 latif	ia. 6 to 12 i	Ean\$0 o 6 in o 9 in	30 50 10 20	10 \$1 25 2 00 4 00 50 1 00	\$10 00 15 00	\$30 00 75 00
*Kalmia ang	ustiful 1 to 1 ½ 1 ½ to 2 latif	ia. 6 to 12 i	Ean\$0 o 6 in o 9 in	30 50 10 20	10 \$1 25 2 00 4 00 50 1 00 1 50 2 00	100 \$10 00 15 00 4 00 8 50 12 50 18 00	\$30 00 75 00 100 00 160 00
*Kalmia ang	ustiful 1 to 1 ½ 1 ½ to 2 latif	ia. 6 to 12 i	Ean\$0 o 6 in o 9 in	30 50 10 20	10 \$1 25 2 00 4 00 50 1 00 1 50 2 00 4 00 6 50	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50	\$30 00 75 00 100 00 160 00 325 00
*Kalmia ang	ustifol 1 to 1½ 1½ to 2 latif- 9 to 12 1 to 1½ 1½ to 2 1½ to 2 1½ to 3 1½ to 3 1½ to 3 1½ to 3	olia. 6 to 12 i	0 6 in 0 9 in	10 20 30 50 10 20 25 35 75 00 75	10 \$1 25 2 00 4 00 50 1 00 1 50 2 00 4 00 6 50 12 50 25 00	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50	\$30 00 75 00 100 00 160 00 325 00
*Kalmia ang *Kalmia  *COLLEC	ustifol 1 to 1 ½ 1½ to 2 latif- 9 to 12 1 to 1 ½ 1½ to 2 1 to 1 ½ 1½ to 2 2 to 3 ft 3 to 4 ft FED"	olia. 6 to 12 i ft  olia. 3 t in  ft  ft  ft  ft  ft  ft  cumps.  t., clumps.  t., clumps.  KALMIA I	0 6 in 0 9 in	10 20 30 50 10 20 25 35 75 00 75	10 \$1 25 2 00 4 00 50 1 00 1 50 2 00 4 00 6 50 12 50 25 00 35 00	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50	\$30 00 75 00 100 00 160 00 325 00 550 00
*Kalmia ang *Kalmia  *COLLECTION	ustifol 1 to 1½ 1½ to 2 latif. 9 to 12 1 to 1½ 1½ to 2 1 to 1½ 1½ to 2 2 to 3 fr 3 to 4 fr TED"	da. 6 to 12 i ft  olia. 3 t in. ft  ft  ft  ft  ft  clumps. ft., clumps. t., clumps. t., clumps.	0 6 in 0 9 in 1 1 3 3 4 AATIFOL: and 28.	10 20 30 50 10 20 25 35 75 00 75 00 (A.	10 \$1 25 2 00 4 00 50 1 00 1 50 2 00 4 00 6 50 12 50 25 00 35 00	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50 100 00	\$30 00 75 00 100 00 160 00 325 00 550 00
*Kalmia ang *Kalmia  *COLLECTION	ustifol 1 to 1½ 1½ to 2 latif. 9 to 12 1 to 1½ 1½ to 2 1 to 1½ 1½ to 2 2 to 3 fr 3 to 4 fr TED"	da. 6 to 12 i ft  olia. 3 t in. ft  ft  ft  ft  ft  clumps. ft., clumps. t., clumps. t., clumps.	0 6 in 0 9 in 1 1 3 3 4 AATIFOL: and 28.	10 20 30 50 10 20 25 35 75 00 75 00 (A.	10 \$1 25 2 00 4 00 50 1 00 1 50 2 00 4 00 6 50 12 50 25 00 35 00 For p	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50 100 00 rices as	\$30 00 75 00 100 00 160 00 325 00 550 00
*Kalmia ang  *Kalmia  *COLLECTION  Inform  Ledum latifo	ustifol 1 to 1½ 1½ to 2 1½ to 2 1 to 1½ 1 to 1½ 1 ½ to 2 2 to 3 fi 7 ED" nation 1 0 lium. 1 to 1½	da. 6 to 12 if t	0 6 in 0 9 in 1 1 3 4 ATIFOL: and 28 \$6	10 20 30 50 10 20 25 35 75 00 10 10 10 10 10 10 10 10 10 10 10 10	10 \$1 25 2 00 4 00 50 1 00 1 50 2 00 4 00 6 50 12 50 25 00 35 00 For p	100 \$10 00 15 00 4 00 8 500 12 50 18 00 37 50 62 50 100 00 rices a:	\$30 00 75 00 100 00 160 00 325 00 550 00
*Kalmia ang  *Kalmia  *COLLECTION  Inform  Ledum latifor  Leiophyllum	ustifol 1 to 1½ 1 ½ to 2 latif 9 to 12 1 to 1½ 1 ½ to 2 2 to 1; 1 ½ to 2 2 to 3 if 3 to 4 fi relp nation 1 to 1½ 1 buxifo 3- to 6-i 6- to 12 6-i t	da. 6 to 12 i ft  olia. 3 t ft.  in jft jf	Di	20 30 50 10 25 35 75 60 00 (A. eh 30 50 25	10 \$1 25 2 00 4 00 50 1 00 1 50 2 00 6 50 12 50 25 00 35 00 For p 10 \$2 4 00 4 00 6 50 12 50 35 00 10 10 10 10 10 10 10 10 10	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50 100 00 rices as	\$30 00 75 00 100 00 160 00 325 00 550 00
*Kalmia ang *Kalmia  *COLLECT inform Ledum latifo Leiophyllum prostratur	ustifol 1 to 1½ 1½ to 2 latif 9 to 12 1 to 1½ 1½ to 2 1 to 1½ 1½ to 2 2 to 3 fi 3 to 4 fi rEI)" nation 1 to 1½ a buxife 5-to 6-i 6- to 12 n. 3-t	da. 6 to 12 i ft  olia. 3 t ft  ift	Dispersion of the control of the con	20 30 50 10 20 25 35 75 00 (A. 10 20 25 35 20 25 35 25 25	10 \$1 25 2 00 4 00 50 1 00 1 50 2 00 6 50 12 50 25 00 35 00 For p	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50 100 00 rices a: 100 \$8 50 12 50	\$30 00 75 00 100 00 160 00 325 00 550 00 nd full
*Kalmia ang  *Kalmia  *COLLECTION  inform  Ledum latifo  Leiophyllum  prostratur	tustifold to 1 1/2 to 2 latif 1 1/2 latif 1 lati	da. 6 to 12 i ft  olia. 3 t ift	Dispersion of the control of the con	20 30 50 10 25 35 75 00 00 (A. ch 30 50 25 35	10 \$1 25 2 00 4 00 50 1 00 1 50 2 00 6 50 12 50 25 00 35 00 For p	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50 100 00 rices a:	\$30 00 75 00 100 00 160 00 325 00 550 00 nd full
*Kalmia ang  *Kalmia  "COLLEC" inform Ledum latife Leiophyllum  *Leucoth	tustifold 1 to 1 1/2 to 2 latif 1 1/2 to 2 latif 1 1/2 to 2 latif 1 1/2 to 3 ft 3 to 4 ft FEI)" nation 1 to 1 1/2 latif 1 to 1 1/2 latif 2 latif 1 to 1/2 latif 1 lat	da. 6 to 12 i ft	Di	10 20 25 35 775 000 100 100 100 100 100 100 100 100 10	10 \$1 25 2 00 4 00 1 00 1 50 2 00 1 2 50 12 50 12 50 12 50 12 50 4 00 <b>For p</b> 10 \$2 50 4 00 1 50 3 00 2 00 3 00	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50 100 00 rices a: 100 \$8 50 12 50	\$30 00 75 00 100 00 160 00 325 00 550 00 nd full 1,000
*Kalmia ang *Kalmia  "COLLEC" inform Ledum latife Leiophyllum prostratur *Leucoth	tustifold 1 to 1 1/2 to 2 latif rel l' mation 1 to 1 1/2 latif l' l' latif l' latif l' latif l' l' latif l'	da. 6 to 12 i ft  olia. 3 t ft  diumps.  KALMIA I see pages 27  ft  blum.  in. spread.  in. spread.  in. spread.  atesbae  in.  ft  therefore a constant of the constant of	Di	10 20 25 35 75 40 20 225 35 5 225 40 225	10 \$1 25 2 00 4 00 1 50 1 50 2 00 1 2 50 12 50 12 50 12 50 12 50 4 00 <b>For p</b>	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50 100 00 rices a: 100 \$8 50 12 50 12 50 12 50 8 50 12 50 8 50 12 50 8 50 12 50 12 50 8 50 12 50 12 50 8 50 12 50 10 00 8 50 12 50 12 50 10 00 8 50 12 50 12 50 12 50 10 00 10	\$30 00 75 00 100 00 160 00 325 00 550 00 1,000 \$130 00
*Kalmia ang *Kalmia  *COLLECT inform Ledum latifo Leiophyllum prostratur *Leucoth	ustifold to 1 1/2 to 2 latif. 9 to 12 1 to 1 1/2 to 2 1 to 1 1/2 to 2 2 to 3 ft 3 to 4 ff FED. nation. 1 to 1 1/4 to 1 1	da. 6 to 12 i  ft  olia. 3 t  in  ift  in. spread	Dispersion of the control of the con	10 20 35 35 75 00 75 00 10 20 25 35 50 00 25 35 40 20 25 35 40	10 2 00 4 00 1 00 1 00 2 00 4 00 1 50 2 00 4 00 6 50 12 50 25 00 35 00 4 00 1 50 4 00 1 50 3 00 1 00 1 50 2 00 4 00 1 00	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50 100 00 rices a: 100 \$8 50 12 50 12 50 12 50 8 50 12 50 8 50 12 50 8 50 12 50 12 50 8 50 12 50 12 50 8 50 12 50 10 00 8 50 12 50 12 50 10 00 8 50 12 50 12 50 12 50 10 00 10	\$30 00 75 00 100 00 160 00 325 00 550 00 1,000 \$130 00 225 00
*Kalmia ang *Kalmia  *COLLECT inform Ledum latifo Leiophyllum prostratur *Leucoth	ustifold to 1 1/2 to 2 latif. 9 to 12 1 to 1 1/2 to 2 1 to 1 1/2 to 2 2 to 3 ft 3 to 4 ff FED. nation. 1 to 1 1/4 to 1 1	da. 6 to 12 i  ft  olia. 3 t  in  ift  in. spread	Dispersion of the control of the con	neh 200 20 500 100 225 355 700 100 100 100 100 100 100 100 100 100	10 10 1 25 2 00 4 00 1 50 1 00 1 50 2 00 6 50 12 50 25 00 35 00 For p 10 1 50 3 00 2 00 4 00 1 50 3 50 1 2 50 2 50 2 50 3 50 4 00 1 50 3 50 4 00 1 50 5 0 1 50 5 0 1 50 5 0 1 50 5 0 1 50 5 0 1 50 5 0 1 50 5 0 6 50 1 2 50 2 50 2 50 2 50 2 50 4 00 4 00 1 50 4 00 4 00	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50 100 00 rices a: 100 \$8 50 12 50 10 00 77 50 62 50 12 50 12 50 13 00 14 50 15 00 25 00 17 50 18 00 18 00 19 50 10 00 10	\$30 00 75 00 100 00 160 00 325 00 550 00 1,000 \$130 00 255 00
*Kalmia ang *Kalmia  "COLLEC" inform Ledum latife Leiophyllum prostratur *Leucoth	ustifol 1 to 1 1/2 to 2 latif 2 to 3 latif 3 to 4 ft FED"  olium. 1 to 1 1/2 to 1/2 latif 3 to 6-i 6 to 9-i 1 to 1 1/2 latif 1 to 1 1/2 latif 1 to 1 1/2 latif 2 to 2 latif 2 to 1 latif 2 l	da. 6 to 12 i ft	Dispersion of the control of the con	10 20 30 50 10 20 225 35 75 00 50 80 50 20 225 40 20 25 50 75 60 60 60 60 60 60 60 60 60 60 60 60 60	10 \$1 25 2 00 4 00 1 50 1 00 2 00 4 00 6 50 12 50 25 00 33 500 5 4 00 1 50 3 00 2 00 3 00 2 00 3 00 3 00 3 00 3 0	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50 100 00 **Rices a: 100 **S 50 12 50 12 50 12 50 12 50 12 50 12 50 12 50 12 50 13 00 14 00 15 00 16 00 17 00 18 00 18 00 19 00 10 00	\$30 00 75 00 100 00 160 00 325 00 550 00 1,000 \$130 00 255 00
*Kalmia ang *Kalmia  "COLLEC" inform Ledum latife Leiophyllum prostratur *Leucoth	ustifol 1 to 1 1/2 to 2 latif 2 to 3 latif 3 to 4 ft FED"  olium. 1 to 1 1/2 to 1/2 latif 3 to 6-i 6 to 9-i 1 to 1 1/2 latif 1 to 1 1/2 latif 1 to 1 1/2 latif 2 to 2 latif 2	da. 6 to 12 i ft	Dispersion of the control of the con	20 25 35 25 40 20 25 50 00 25 50 20 25 40 20 25 50 25	10 \$1 25 2 00 4 00 1 50 2 00 1 50 2 00 4 00 6 50 12 50 25 00 33 500 For p 10 \$2 50 4 00 1 50 3 00 3 00 3 00 3 00 1 50 2 75 3 00 4 00 6 50 1 50 4 00 6 50 6 5	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50 100 00 rices a: 100 \$8 50 12 50 10 00 77 50 62 50 12 50 12 50 13 00 14 50 15 00 25 00 17 50 18 00 18 00 19 50 10 00 10	\$30 00 75 00 100 00 160 00 325 00 550 00 1,000 \$130 00 255 00
*Kalmia ang *Kalmia  *Collectinform  Ledum latife Leiophyllum  prostratur *Leucoth  racemosa.	ustifol 1 to 1 ½ 1 ½ to 2 1 atif 9 to 12 1 to 1 ½ 1 ½ to 2 1 to 1 ½ 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ED" 1 ation 1 to 1 ½ 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ED 1 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ½ to 2 3 to 4 ff 1 ½ to 2 4 to 3 ff 3 to 4 ff 1 ½ to 2 5 to 3 ff 5 to 12 5 to 3 ff 6 to 12 5 to 3 ff 6 to 12 5 to 3 ff 6 to 12 6 to 12 7 to 3 ff 7 to 12 7 to 3 ff 7 to 12 7 to 3 ff 7 to 3 ff 7 to 12 7 to 3 ff 7 to 3 ff 7 to 12 7 to 3 ff 7 to 3 ff 7 to 12 7 to 1	da. 6 to 12 i ft	Dispersion of the control of the con	20 25 35 75 000 14A. 20 25 40 20 25 40 20 25 40 20 20 25 40 20 25 40 20 20 20 20 20 20 20 20 20 20 20 20 20	10 2 00 4 00 1 00 1 00 2 00 4 00 6 50 12 50 25 00 35 00 10 \$2 50 4 00 1 50 3 00 4 00 1 50 3 00 3 00 1 50 3 00 1 50 3 00 3 00 1 50 3 00 3 00 3 00 1 50 3 00 3 00 3 00 1 50 3 00 3 00 3 00 4 00 1 50 3 00 3 00 3 00 3 00 4 00 1 50 3 00 3 00 3 00 4 00 1 50 3 00 3 00 3 00 4 00 1 50 3 00 3 00 3 00 4 00 4 00 1 50 3 00 3 00 4 00 4 00 4 00 1 50 3 00 3 00 4 00 4 00 4 00 4 00 4 00 4 00 4 00 6 00	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50 100 00 **rices a: 100 \$8 50 12 50 12 50 25 00 8 50 12 50 25 00 8 50 12 50 8 50 12 50 13 00 8 8 50 10 00 10 00	\$30 00 75 00 100 00 160 00 325 00 550 00 1,000 \$130 00 225 00
*Kalmia ang *Kalmia  *Collectinform Ledum latife Leiophyllum  prostratur *Leucoth  racemosa.	ustifol 1 to 1 ½ 1 ½ to 2 1 atif 9 to 12 1 to 1 ½ 1 ½ to 2 1 to 1 ½ 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ED" 1 ation 1 to 1 ½ 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ED 1 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ½ to 2 2 to 3 ff 3 to 4 ff 1 ½ to 2 3 to 4 ff 1 ½ to 2 4 to 3 ff 3 to 4 ff 1 ½ to 2 5 to 3 ff 5 to 12 5 to 3 ff 6 to 12 5 to 3 ff 6 to 12 5 to 3 ff 6 to 12 6 to 12 7 to 3 ff 7 to 12 7 to 3 ff 7 to 12 7 to 3 ff 7 to 3 ff 7 to 12 7 to 3 ff 7 to 3 ff 7 to 12 7 to 3 ff 7 to 3 ff 7 to 12 7 to 1	da. 6 to 12 i ft	Dispersion of the control of the con	20 20 25 35 50 10 10 10 10 10 10 10 10 10 10 10 10 10	10 10 100 100 100 100 100 100 1	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50 100 00 rices a: 100 \$8 50 12 50 10 00 8 50 10 00 8 50 10 00 8 50 10 00 10 00	\$30 00 75 00 100 00 160 00 325 00 550 00 1,000 \$130 00 255 00
*Kalmia ang *Kalmia  *COLLECTinform Ledum latife Leiophyllum  prostratur *Leucoth  racemosa. recurva. 6 Lonicera 6	ustifol 1 to 1 1/2 to 2 latif 9 to 12 1 to 1 1/2 to 2 1 to 1 1/2 to 2 1 to 1 1/2	da. 6 to 12 i ft	Dispersion of the control of the con	ach 200 30 50 10 225 355 40 20 50 75 40 20 225 40 20 30 30 30 30 30 30 30 30 30 30 30 30 30	10 10 10 100 1 00 1 50 1 00 1 50 2 00 4 00 6 50 12 50 25 00 35 00 For p 10 \$2 50 4 00 1 50 2 50 4 00 1 50 2 50 4 00 1 50 4 00 1 50 4 00 1 50 6 50 1 00 1 50 6 50 1 50 6 50 1 50 6 50 1 50 6 50 1 50 6 50 1 50 6 50 1 50 6 50	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50 100 00 **rices a: 100 \$8 50 12 50 12 50 25 00 8 50 12 50 25 00 8 50 12 50 8 50 12 50 13 00 8 8 50 10 00 10 00	\$30 00 75 00 100 00 160 00 325 00 550 00 1,000 \$130 00 225 00
*Kalmia ang *Kalmia  *COLLEC' inform Ledum latife Leiophyllum  prostratur *Leucoth  racemosa. recurva. @ Lonicera dio japonica jaradec for mas	tustifol 1 to 1 1/2 to 2 latif 1 to 2 latif	da. 6 to 12 i  ft	Discourse of the control of the cont	20 20 35 50 20 25 40 20 30 20 30 20 30 20 30 30 20 30 30 20 30 30 20 30 30 20	10 2 00 4 00 1 00 1 00 2 00 4 00 6 50 12 50 25 00 35 00 12 50 4 00 4 00 4 00 1 50 3 00 1 50 1 50	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50 100 00 rices a: 100 \$8 50 12 50 12 50 12 50 12 50 12 50 12 50 15 00 25 00 27 50 102 50 100 00 8 50 100 00	\$30 00 75 00 100 00 160 00 325 00 550 00  nd full 1,000  \$130 00 75 00 225 00 325 00
*Kalmia ang *Kalmia  *COLLEC' inform Ledum latife Leiophyllum  prostratur *Leucoth  racemosa. recurva. @ Lonicera dio japonica jaradec for mas	tustifol 1 to 1 1/2 to 2 latif 1 to 2 latif	da. 6 to 12 i  ft	Discourse of the control of the cont	ach 200 30 50 10 225 355 40 20 50 75 40 20 225 40 20 30 30 30 30 30 30 30 30 30 30 30 30 30	10 10 10 100 1 00 1 50 1 00 1 50 2 00 4 00 6 50 12 50 25 00 35 00 For p 10 \$2 50 4 00 1 50 2 50 4 00 1 50 2 50 4 00 1 50 4 00 1 50 4 00 1 50 6 50 1 00 1 50 6 50 1 50 6 50 1 50 6 50 1 50 6 50 1 50 6 50 1 50 6 50 1 50 6 50	100 \$10 00 15 00 4 00 8 50 12 50 18 00 37 50 62 50 100 00 **rices a: 100 \$8 50 12 50 12 50 25 00 8 50 12 50 25 00 8 50 12 50 8 50 12 50 13 00 8 8 50 10 00 10 00	\$30 00 75 00 100 00 160 00 325 00 550 00  nd full 1,000 \$130 00 75 00 100 00 225 00

#### Catalog of HIGHLANDS NURSERY



Juniperus virginiana

	CHENTER AND INCOM		18361		
TREES,	SHRUBS, AND WOOD	Each	NES, co	ntinue 100	
Luonia liquet	rina. 1 to 2 ft		\$1.50	\$12 00	1,000
Magnolia fras	eri. 2 to 3 ft	25	1 50	12 00	
	to 6 ft		4 00		
6	to 8 ft		8 00		
	to 10 ft		12 00		
	3 to 4 ft		2 50	20 00	
	to 6 ft		5 00 6 00		
	ria. Wild Fragrant Crab.	. (0	0.00		
	to 6 in. Seedlings.	15	60	5 00	\$40 00
	to 2 ft	35	2 50	18 00	\$40 00
	to 3 ft		4 00	10 00	
	to 4 ft		5 00		
Menziesia pil					
	to 2 ft., clumps		2 00	17 50	
	to 3 ft., clumps		3 50	30 00	
3	to 4 ft., clumps	. 75	6 00	# 00	
	ra. 1 to 3 in. Seedlings		60	5 00	
	to 6 in. Seedlings		2 50	6 00	
	ca (multiflora).		200		
	to 2 ft	40	2 50	20 00	
	to 3 ft		4 00		
	to 4 ft		5 00		
	ica. 1 to 2 ft	. 20	1 25	10 00	
	to 3 ft		2 00	17.50	
	to 4 ft		3 00		
	to 6 ft	. 75	5 00		
*Picea engeln	to 12 in. Seedlings	. 05	50	3 00	20 00
	to 2 ft. Seedlings		75	6 00	20 00
	to 6 in. Seedlings		35	3 00	20 00
	to 12 in. Seedlings		50	4 00	30 00
	to 6 in., 1 yr., trans		75	5 00	40 00
	to 12 in., 2 yr., trans		1 00	7 00	60 00
	to 2 ft	. 30	2 00	15 00	
	omeda) floribunda.	1 00	() ()()	50 00	
	to 12 in		8 00 12 50	70 00	
	to 1 ½ ft		12 50 18 00	170 00	
mariane 1	to 2 ft., clumps		4 00	1441 (10)	
*Pinus austri	aca. 1 to 2 ft	40	3 00	25 00	
	to 3 ft		6 00	50 00	
	to 4 ft		8 00	70 00	
	22				

## TREES, SHRUBS, AND WOODY VINES, continued

*Pinus banksiana (divaricata).					
	Title	ich	10	100	1,000
					2,000
2 to 3 ft		30		* \$16 00	
3 to 4 ft		40	2 50	20 00	
4 to 6 ft		75	5 00	30 00	
6 to 8 ft		00	6.00	50 00	
			10 00	70 00	
8 to 10 ft				70 00	
*echinata. 6 to 12 in		35	3 00		
1 to 2 ft		45	4 ()()		
*flexilis. 3 to 6 in		20	1 50	10.00	
		10	75	5 00	\$40.00
*ponderosa. 3 to 6 in					
6 to 12 in		10	75	6 00	50 00
1 to 2 ft		20	1 50	12 00	
*pungens. 6 to 8 ft		75	6 00	50 00	
8 to 10 ft		00	7 00	60 00	
		15	1 00	7 00	60 00
*resinosa. 6 to 12 in. Seedlings					
1 to 2 ft. Seedlings		20	1 25	9 00	80 00
6 to 12 in		25	2 00	16 00	120 00
1 to 2 ft		50	3 00	25 00	
		75	5 00	40 00	
2 to 3 ft					
*rigida. 4 to 6 ft		60	5 00	45 00	
6 to 8 ft		75	6 00	50 00	300 00
*strobus. 3 to 12 in			1 00	8 00	4
		25	1 50	12 00	
1 to 2 ft				12 00	
2 to 3 ft		60	4 00		
3 to 4 ft	1	00	8 00		
4 to 6 ft		()()	18 00		
*Pseudotusga douglasi (taxifolia).					
				0 50	00.00
3 to 6 in. Seedlings		10	30	2 50	-20 00
6 to 12 in. Seedlings		10	45	3 50	30 00
3 to 6 in		20	1 00	8 00	70 00
6 to 12 in		25	1 50	12 00	100 00
					200 00
1 to 2 ft		40	3 00	20 00	
· ·					
DHADADE	CHIA	D4	DIE		
RHODODE	ND	R	ONS		
		R	ONS		
		R	ONS		
*Rhododendron carolini		R	ONS		
*Rhododendron carolini	-			100	1 000
	-	Ren	ONS	100	1,000
*Rhododendron carolinianum.	- Ea	ıch		100 \$16 00	1,000 \$150 00
*Rhododendron carolinicanum.	- Ea	ich 30	10 \$2 00	\$16 00	\$150 00
*Rhododendron carolinianum.	Ea\$0	ach 30 40	10 \$2 00 2 50	\$16 00 22 50	\$150 00 200 00
*Rhododendron carolinianum.  3 to 6 in	Ea\$0	30 40 60	10 \$2 00 2 50 4 50	\$16 00 22 50 40 00	\$150 00
*Rhododendron carolinianum.	Ea\$0	30 40 60 00	10 \$2 00 2 50 4 50 7 00	\$16 00 22 50 40 00 65 00	\$150 00 200 00
*Rhododendron carolinianum.  3 to 6 in	Ea \$0	30 40 60	10 \$2 00 2 50 4 50	\$16 00 22 50 40 00	\$150 00 200 00
*Rhododendron carolinianum.  3 to 6 in	Ea\$0	30 40 60 00 50	10 \$2 00 2 50 4 50 7 00 10 00	\$16 00 22 50 40 00 65 00 90 00	\$150 00 200 00
*Rhododendron carolinianum.  3 to 6 in 6 to 9 in 9 to 12 in 6 to 9 in, clumps 9 to 12 in, clumps 1 to $11\frac{1}{2}$ ft, clumps	Ea\$0	1ch 30 40 60 00 50 75	10 \$2 00 2 50 4 50 7 00 10 00 12 50	\$16 00 22 50 40 00 65 00 90 00 110 00	\$150 00 200 00
*Rhododendron carolinianum.  3 to 6 in	Ea\$0	30 40 60 00 50 75	10 \$2 00 2 50 4 50 7 00 10 00 12 50 27 50	\$16 00 22 50 40 00 65 00 90 00 110 00 250 00	\$150 00 200 00
*Rhododendron carolinianum.  3 to 6 in 6 to 9 in 9 to 12 in 6 to 9 in, clumps 9 to 12 in, clumps 1 to $11\frac{1}{2}$ ft, clumps	Ea\$0	1ch 30 40 60 00 50 75	10 \$2 00 2 50 4 50 7 00 10 00 12 50	\$16 00 22 50 40 00 65 00 90 00 110 00	\$150 00 200 00
*Rhododendron carolinianum.  3 to 6 in	Ea\$0	30 40 60 00 50 75 00	10 \$2 00 2 50 4 50 7 00 10 00 12 50 27 50 35 00	\$16 00 22 50 40 00 65 00 90 00 110 00 250 00 300 00	\$150 00 200 00 350 00
*Rhododendron carolinianum.  3 to 6 in 6 to 9 in 9 to 12 in 6 to 9 in, clumps 9 to 12 in, clumps. 1 to 1 $\frac{1}{2}$ ft, clumps. 1 $\frac{1}{2}$ to 2 ft, clumps. 2 to 2 $\frac{1}{2}$ ft, clumps. *cotowhene	Fas\$0	30 40 60 00 50 75 00 00	10 \$2 00 2 50 4 50 7 00 10 00 12 50 27 50 35 00 1 00	\$16 00 22 50 40 00 65 00 90 00 110 00 250 00 300 00 8 50	\$150 00 200 00 350 00 75 00
*Rhododendron carolinianum.  3 to 6 in	Fas\$0	1ch 30 40 60 00 50 75 00 00 20 25	10 \$2 00 2 50 4 50 7 00 10 00 12 50 27 50 35 00 1 00 1 50	\$16 00 22 50 40 00 65 00 90 00 110 00 250 00 300 00 8 50 12 50	\$150 00 200 00 350 00
*Rhododendron carolinianum.  3 to 6 in 6 to 9 in 9 to 12 in 6 to 9 in., clumps 9 to 12 in., clumps 1 to $1\frac{1}{2}$ ft., clumps $1\frac{1}{2}$ to $2$ ft., clumps 2 to $2\frac{1}{2}$ ft., clumps *catawbiense. $\frac{3}{6}$ to $\frac{9}{6}$ in 9 to 12 in	Ea\$0	1ch 30 40 60 50 75 00 20 25 35	10 \$2 00 2 50 4 50 7 00 10 00 12 50 27 50 35 00 1 00 1 50 2 00	\$16 00 22 50 40 00 65 00 90 00 110 00 250 00 300 00 8 50 12 50 • 18 00	\$150 00 200 00 350 00 75 00
*Rhododendron carolinianum.  3 to 6 in 6 to 9 in 9 to 12 in 9 to 12 in 1 to $1\frac{1}{2}$ ft., clumps. 1 to $1\frac{1}{2}$ ft., clumps. 2 to $2\frac{1}{2}$ ft., clumps. 2 to $2\frac{1}{2}$ ft., clumps.  *catawbiense. $\frac{3}{4}$ to $\frac{3}{4}$ ft. $\frac{3}{4}$ in 9 to $1\frac{1}{2}$ in 1 to $1\frac{1}{2}$ ft	Ea\$0	1ch 30 40 60 00 50 75 00 00 20 25	10 \$2 00 2 50 4 50 7 00 10 00 12 50 27 50 35 00 1 00 1 50	\$16 00 22 50 40 00 65 00 90 00 110 00 250 00 300 00 8 50 12 50	\$150 00 200 00 350 00 75 00
*Rhododendron carolinianum.  3 to 6 in 6 to 9 in 9 to 12 in 9 to 12 in 1 to $1\frac{1}{2}$ ft., clumps. 1 to $1\frac{1}{2}$ ft., clumps. 2 to $2\frac{1}{2}$ ft., clumps. 2 to $2\frac{1}{2}$ ft., clumps.  *catawbiense. $\frac{3}{4}$ to $\frac{3}{4}$ ft. $\frac{3}{4}$ in 9 to $1\frac{1}{2}$ in 1 to $1\frac{1}{2}$ ft	Ea\$0	30 40 60 50 75 00 20 25 35	10 \$2 00 2 50 4 50 7 00 10 00 12 50 27 50 35 00 1 00 1 50 2 00 3 00	\$16 00 22 50 40 00 65 00 90 00 110 00 250 00 300 00 8 50 12 50 • 18 00	\$150 00 200 00 350 00 75 00
*Rhododendron carolinianum.  3 to 6 in	Eas. \$0 1 1 3 4	30 40 60 00 50 75 00 20 25 35 50 65	10 \$2 00 2 50 4 50 7 00 10 00 12 50 27 50 1 00 1 50 2 00 3 00 3 00 5 00	\$16 00 22 50 40 00 65 00 90 00 110 00 250 00 300 00 8 50 12 50 • 18 00 40 00	\$150 00 200 00 350 00 75 00 100 00
*Rhododendron carolinianum.  3 to 6 in 6 to 9 in 9 to 12 in 9 to 12 in., clumps. 9 to 12 in., clumps. 1 to $1\frac{1}{2}$ ft., clumps. $\frac{1}{2}$ to $\frac{2}{2}$ ft., clumps.  *catawbiense. 3 to 6 in. 9 to 12 in 1 to $\frac{1}{2}$ ft. $\frac{1}{2}$ ft. $\frac{1}{2}$ ft. 3 to 6 in., clumps.	Ea\$0	1ch 30 40 60 00 50 75 00 20 25 35 65 75	10 \$2 00 2 50 4 50 7 00 10 00 12 50 27 50 35 00 1 00 1 50 2 00 3 00 5 00 6 00	\$16 00 22 50 40 00 65 00 90 00 110 00 250 00 300 00 8 50 12 50 • 18 00 25 00 40 00 50 00	\$150 00 200 00 350 00 75 00 100 00
*Rhododendron carolinianum.  3 to 6 in	Ea\$0	ach 30 40 60 00 50 75 00 20 25 35 65 75 00	10 \$2 00 2 50 4 50 7 00 10 00 12 50 27 50 35 00 1 00 2 00 3 00 5 00 6 00 7 00	\$16 00 22 50 40 00 65 00 90 00 110 00 250 00 300 00 8 50 12 50 18 00 25 00 40 00 50 00 55 00	\$150 00 200 00 350 00 75 00 100 00 400 00 450 00
*Rhododendron carolinianum.  3 to 6 in 6 to 9 in 9 to 12 in 9 to 12 in., clumps. 9 to 12 in., clumps. 1 to $1\frac{1}{2}$ ft., clumps. $\frac{1}{2}$ to $\frac{2}{2}$ ft., clumps.  *catawbiense. 3 to 6 in. 9 to 12 in 1 to $\frac{1}{2}$ ft. $\frac{1}{2}$ ft. $\frac{1}{2}$ ft. 3 to 6 in., clumps.	Ea\$0	ach 30 40 60 00 50 75 00 20 25 35 65 75 00	10 \$2 00 2 50 4 50 7 00 10 00 12 50 27 50 35 00 1 00 1 50 2 00 3 00 5 00 6 00	\$16 00 22 50 40 00 65 00 90 00 110 00 250 00 300 00 8 50 12 50 • 18 00 25 00 40 00 50 00	\$150 00 200 00 350 00 75 00 100 00

# to 19 in., clumps. 1 0 0 0 0 50 00 400 00 1 to 12 in., clumps. 1 25 9 00 75 00 600 00 1 to 12 in., clumps. 1 25 9 00 75 00 600 00 1 to 1½ ft., clumps. 2 00 16 00 135 00 1300 00 2 to 3 ft., clumps. 3 00 25 00 200 00 1750 00 3 to 4 ft., clumps. 5 00 40 00 375 00 4 to 5 ft., clumps. 7 00 60 00 750 00 4 to 5 ft., clumps. 7 00 60 00 75 00 75 0

	Fac	h :	L()	100
Rhus copa	illina. Sumac. 1 to 2 ft\$0 :	20 \$1	25	\$10 00
		30 1	75	15 00
		40 2	50	
cotinoid	es. Southern Smoke Tree.			
	Specimensfrom \$1 to 6	00		
glabra.	2 to 3 ft	20 1	00	
.,	3 to 4 ft	30 2	50	
typhina	(hirta). 2 to 3 ft	25 1	50	12 00
**	4 to 6 ft	40 2	50	20 00
Ribes cyne	osbati. 1 to 2 ft	30 2	50	
	2 to 3 ft	50 3	50	
rotundii	folium. 2 to 3 ft	30 2	50	
Robinia h		20 1	00	8 00
	2 to 3 ft	35 2	50	15 00
kelsevi.	6 to 12 in	30 2	50	
	1 to 2 ft	40 3	00	
viscosa.	3 to 4 ft	35 2	00	
		50 3	50	

#### Catalog of HIGHLANDS NURSERY

TREES, SHRUBS, AND WOODY	v vi	NES. co	ontinue	đ
I I	Cach	10	100	1,000
Rosa arkansana. 2 to 3 ft	0 40	\$3 00 40	\$3 00	450
1 to 2 ft	15 20	75 1 00	6 00 8 00	\$50 00 70 00
2 to 3 ft	30 20	2 50	15 00	
1 to 2 ft	25 10	1 50 75	5 00	
1 to 2 ft	25	2 00	18 00	
<b>nitida.</b> 6 to 12 in	20 30	1 25 1 75	10 00 15 00	
rubiginosa. 6 to 12 in. Seedlings	10 15	75 1 25	6 00 8 00	
virginiana (blanda). 2 to 3 ft	45 15	4 00 75	30 00 6 00	50 00
Rubus canadensis. 1 to 3 ft	25 10	2 00 60	15 00 4 00	
odoratus. 6 to 12 in				27.00
6 to 12 in. Seedlings	10 25	2 00	3 00	25 00
racemosus. 2 to 3 ft	40 25	3 50 1 50	25 00	
3 to 4 ft	40	3 00		
1 to 2 ft	40	2 50	20 00	
	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$	4 00 6 50	35 00 60 00	
Symphoricarpos occidentalis.	2 00	15 00		
1 to 2 ft	30 20	2 00 1 00	8 00	60 00
grandiflora. Strong	60	4 00	., .,,,	00 0.,
radicans. Strong	$\frac{20}{20}$	1 00	8 00	
HEMLOC	KS	7		
*Tsuga canadensis. Canadian lock.		10	100 \$10 00	1,000
6 to 12 in\$ 1 to 11½ ft	25	\$1 25 1 50	12 50	\$90 00 110 00
0 to 12 lb. 1 to 11 2 ft. 1 12 to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft 6 to 7 ft. 7 to 8 ft	1 00	3 00 7 00	27 50 65 00	250 00
3 to 4 ft	1 50	12 50 20 00	110 00 180 00	
5 to 6 ft	3 75	35 00	300 00	
7 to 8 ft	8 00	50 00 70 00	450 00	
		90 00		
*Tsuga caroliniana. Carolina Hemlock.				
2 to 3 in. Seedlings 3 to 6 in. Seedlings	15 20	75 90	5 00 7 00	40 00 60 00
3 to 0 in	25	1 00	8 00	00 00
6 to 12 in	$\frac{75}{100}$	. 6 00 8 00	50 00	
1½ to 2 ft 2 to 3 ft	$\frac{1}{2} \frac{50}{00}$	12 00 15 00		
2 to 3 ft	1 00 6 00	30 00 50 00		
5 to 6 ft.	9 00	80 00		
7 to 8 ft	6 00	120 00		
Vaccinium erythrocarpon. 1 to 2 ft.	50	4 00		
*macrocarpon. American Cranberry .	10	75	5 00	40 00
Clumps. pallidum. 6 to 12 in	30	2 00 3 00	17 50 20 00	
1 to 2 ft., clumps	60	4 00	30 00	
2 to 3 it., clumps	1 00	6 00 8 00	50 00	
pallidum. 6 to 12 in  1 to 2 ft  2 to 3 ft., clumps  2 to 3 ft., clumps  3 to 4 ft., clumps  pennsylvanicum. 3 to 6 in  stamineum. 1 to 1½ ft  1½ to 2 ft  1 to 1½ ft., clumps  ½ to 2 ft  1½ to 3 ft  3 to 4 ft  alnifolium. 1 to 2 ft  2 to 3 ft  2 to 3 ft  2 to 3 ft  3 to 4 ft  2 to 3 ft	30 25	$\frac{1}{2} \frac{75}{00}$	16 00	
1½ to 2 ft	35 50	3 00 3 50	25 00 30 00	
1½ to 2 ft., clumps	7.5	5 00	40 00	
Viburnum acerifolium. 6 to 12 in	1 00	8 00	5 00	
1 to 2 ft	20 30	1 25 2 00	10 00 18 00	
alnifolium 1 to 2 ft	50 30	2 00 3 50 1 75		
2 to 3 ft	40	2 50		
4 to 6 ft	1 00	6 00		
Vibulifulli cassillolacs.	-00	4 777	8 00	
6 to 12 in 1 to 2 ft	20 25	1 00	8 00 12 00	
1 to 2 ft 2 to 3 ft 3 to 4 ft., clumps	30 75	1 75	$\frac{15}{37} \frac{00}{50}$	250 00
4 to 6 ft., clumps	1 00	6 00	50 00	
o to s it., clumps	1 00	12 00		

## KELSEY'S HARDY SPECIMEN EVERGREENS

#### Catalog of HIGHLANDS NURSERY

TREES, SHRUBS, AND WOOD	Y VII	VES. co	ntinue	đ
Viburnum dentatum	Each	10	100	1,000
6 to 12 in, Seedlings\$ 1 to 2 ft. Seedlings	0 10	\$0 60	\$5 00	
1 to 2 ft. Seedlings 1 to 2 ft	15 20	1 00	8 00	
2 to 3 ft., clumps	35	3 00	10 00	
opulus (oxycoccus). 1 to 2 ft	75	6 00		
opulus (oxycoccus). 1 to 2 it	20 30	1 50 2 50	10 00	
2 to 3 ft	40	3 50	20 00	
Wisteria chinensis alba. 6 to 12 in	60	5 00		
Wisteria chinensis alba. 6 to 12 in	25	2 00		
1 to 2 1t	40	3 50		
Administratiza apiniona. R	ellow oot.			
3 to 6 in	10	50	4 00	\$30 00
6 to 12 in	15	75	5 00	40 00
1 to 1½ ft	20 20	1 00	7 00 6 00	60 00 50 00
6 to 12 in., clumps	25	1 25	8 00	70 00
1 to 1½ ft., clumps 1½ to 2 ft., clumps	35	2 50	18 00	150 00
1½ to 2 ft., clumps	50	4 00	30 00	
W 1 W D.			W7	
Hardy Herbaceous Pe	erei	ınıal	S. V	ines.
Aquatica Forms On	ahid	le I	lina	and
Aquatics, Ferns, Or	CIII	18, L	mes,	anu
<b>Bulbous Plants</b>				
Duinous Tiants	Each	10	100	1,000
Aconitum reclinatum	80 40	\$3 00		
Acorus calamus	20 20	1 00	\$8 00	
Actæa alba	30		16 00	
rubra	30	1 75		
Allium cernuum	20 20	1 25	8 00	
Amsonia tabernæmontana. Clumps	20	1 00	8 00	
Archangelica hirsuta	15	75	6 00	
Arisæma triphyllum	20	1 00	8 00	
Artemisia gracilis	20	2 50 1 00		
Asters, in variety-acuminatus, cordi-		. 00		
folius, macrophyllus, puniceus,	200	1 00	0.00	570 OO
umbellatus	20	1 00	8 00	\$70 00
arenaria, Opuntia camanchica, Opuntia major, Opuntia mesa-				
Opuntia major, Opuntia mesa-				
cantha cymochila, Opuntia mesacantha greeni, Opuntia				
polyantha	85	5 00	35 00	
Calopogon pulchellus	25	1 50	12 00	
Campanula divaricata* *Carex fraseri	20 20	1 00 1 25	10 00	80 00
*Carex fraseri Chamælirium luteum	20	1 00	8 00	70 00
Chelone glabra	20	1 00	8 00	70 00
lyoni	20 15	1 00 75	8 00 6 00	70 00
Cicuta maculata	20	1 00	0.00	
Cimicifuga americana	20	1 00	8 00	70 00
racemosa	15 40	2 75 2 75	6 00 20 00	50 00
fremonti	30	2 00	20 00	
vitalba	30	1 75	16 00	
*Clintonia umbellata	15 15	75 75	6 00	
Convallaria majalis	15	75	5 00	
Coreopsis lanceolata	15	75	6 00	
rosea	15 20	1 00	6 00 8 00	
verticillata Cypripedium acaule. Light	20	1 00	8 00	
Cypripedium acaule, Light	15	75	5 00	40 00
Charles	20	1 25 75	10 00 5 00	70 00 40 00
Strong			10 00	80 00
Strong hirsutum. Light Strong	15 20	1 25		
hirsutum. Light	15 20 20	1 25 1 50	12 00	
Strong. hirsutum. Light. Strong. Dicentra eximea. Dioscorea villosa.	15 20 20 20 20	1 25 1 50 1 00	12 00 7 00	
Strong. Light. Strong. Dicentra eximea. Dioscorea villosa. Diphilleia cymosa.	15 20 20 20 20 20	1 25 1 50 1 00 1 25	12 00 7 00 10 00	
Strong.  hirsutum. Light. Strong. Dicentra eximea. Dioscorea villosa. Diphilleia cymosa. Disporum lanuginosum. *Enigwa renens. Trailing Arbutus	15 20 20 20 20 20 20	1 25 1 50 1 00 1 25 1 25	12 00 7 00 10 00 9 00	
Strong.  hirsutum. Light. Strong. Dicentra eximea. Dioscorea villosa. Diphilleia cymosa. Disporum lanuginosum. *Enigwa renens. Trailing Arbutus	15 20 20 20 20 20 20 40	1 25 1 50 1 00 1 25 1 25 2 50	12 00 7 00 10 00 9 00 22 50	100.00
Strong. hirsutum. Light. Strong. Dicentra eximea. Dioscorea villosa. Diphillela cymosa. Disporum lanuginosum. *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps.	15 20 20 20 20 20 20 20 20	1 25 1 50 1 00 1 25 1 25 2 50 1 50	12 00 7 00 10 00 9 00 22 50 12 00	
Strong.  Strong.  Strong.  Strong.  Dicentra eximea.  Dioscorea villosa.  Diphilleia cymosa.  Disporum lanuginosum.  *Epigæa repens. Trailing Arbutus.  Established clumps.  "Collected" clumps.  Erythronium americanum.  Eupatorium ageratoides.	15 20 20 20 20 20 20 20 20 20 20 20 20 20	1 25 1 50 1 00 1 25 1 25 2 50 1 50 50 1 25	12 00 7 00 10 00 9 00 22 50 12 00 2 00 10 00	
Strong. hirsutum. Light. Strong. Dicentra eximea. Dioscorea villosa. Diphillela cymosa. Disporum lanuginosum. *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps. Erythronium americanum Eupatorium ageratoides. perfoliatum.	15 20 20 20 20 20 20 40 25 10 20 20	1 25 1 50 1 00 1 25 1 25 2 50 1 50 50 1 25 1 25	12 00 7 00 10 00 9 00 22 50 12 00 2 00 10 00 10 00	100 00 16 00
Strong. Strong. Strong. Strong. Dicentra eximea. Dioscorea villosa. Diphilleia cymosa. Disporum lanuginosum *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps. Erythronium americanum Eupatorium ageratoides.	15 20 20 20 20 20 20 20 20 20 20 20 20 20	1 25 1 50 1 00 1 25 1 25 2 50 1 50 50 1 25	12 00 7 00 10 00 9 00 22 50 12 00 2 00 10 00	

## Ferns, Hardy Native Species

Adiantum pedatum	.\$0 20	\$1 25	\$10 00
Asplenium filix-fœmina	. 20	1 00	8 00
*Botrychium virginianum	. 20	1 00	7 00
*Dryopteris acrostichoides	. 20	1 00	8 00
goldieana		1 25	10 00

#### Catalog of HIGHLANDS NURSERY

WEDNIG				
	ach	10	100	1,000
*Dryopteris marginalis\$0 *noveboracensis	20	\$1 00	\$8 00 8 00	\$60 00
*spinulosa	20	1 00	8 00	60 00
thelypteris	20 20	1 00	8 00	
Onoclea sensibilisOsmunda cinnamomea, claytoniana,	20	1 00	8 00	
and regalis	25 15	1 50 75	12 00 6 00	100 00 35 00
Polypodium vulgarePteridium aquilinum	15	75	6 00	50 00
Pteridium aquilinum Galax aphylla. Established clumps	25	1 50	12 00	90 00
"Collected" clumps	20 25	1 00	8 00	50 00
Gillenia stipulata. Strong	20	1 00	8 00	05.00
Strong	15 20	1 00	5 00 6 00	35 00 50 00
Habenaria ciliaris	20	1 00	8 00	
Helianthus strumosus	20 20	1 00	8 00 8 00	
Hepatica acutiloba. Heuchera americana and villosa	20	1 00	8 00	
Heuchera americana and villosa	20 15	1 00 75	8 00	40 00
Humulus lupulus	20	1 00	8 00	
Iris cristata	25 20	1 50	10 00 8 00	80 00
pseudacorus*verna. Clumps	25	1 50	10 00	
Lacinaria (Liatris) spicata	20 20	1 00	8 00	
spicata pumila	20	1 00		
Lilies				
ilium canadense. Wild Yellow Lily.				
2nd size	10	60	5 00	
carolinianum. Carolina Lily.  1 yr. from scales	15	-50	4 00	25 00
2nd size	20	1 00	7 00	20 0
grayi. 1 yr. from scales	25 10	1 25 50	10 00 4 00	35 00
grayi. 1 yr, from scales	20	1 00	6 00	50 00
1st size	25	1 25	10 00	80 00
superbum. Turk's-Cap Lily. 3rd size.	10	40 75	2 00 5 00	18 00 30 00
1st size	20	1 00	8 00	60 00
Mitchella repens. Clumps Monarda didyma	25 20	1 50 1 25	10 00	
Orontium aquaticum	25	1 50	10 00	
Panax (Aralia) quinquefolium.		60	5 00	35 00
3rd size		85	7 50	65 00
1st size	15	1 25 75	10 00 6 00	90 00
Podophyllum peltatumPolygonatum biflorum	15	75	6 00	
commutatum	20	1 00	8 00	
*Potentilla tridentata	20	1 00	8 00	
Strong(Sanguinaria is shipped en-	15	75	6 00	36 00
(Sangunaria is shipped en- tirely at consignee's risk.)				
Saxifraga michauxi	25	1 50		
Saxifraga michauxi	35 20	2 00	18 00 8 00	
Silene stellatavirginica	20	1 25	10 00	
virginica				
glomerata, odora, pallida, pa- tula, pubens, and rugosa	20	1 00	8 00	65 00
Steironema ciliatum, quadrifolium, and terrestris	15	75	6 00	
Stenanthium robustum. Mountain	15	75	6 00	
Feather Fleece.	00	1 00	0.00	20 N
3rd size 2nd size	20 25	1 00	8 00 12 50	100 0
1st size	50	3 00	26 00	-
Thermopsis caroliniana. Strong	20 10	1 00 60	8 00 5 00	
Fradescantia montana	20	1 00	8 00	
Crillium erectum. 2nd size	10 15	40 75	3 00 5 00	18 0 30 0
Ist size	20	1 00	8 00	
undulatum. 2nd size	10	60	4 00 3 50	30 0
recurvatum	15 15	60 75	3 50 6 00	20 0 50 0
stylosum. 2nd size	10	60	4 00	30 0
undulatum. 2nd size	15 10	75 60	6 00	50 0 30 0
1st size	15	75	6 00	40 0
Uvularia perfoliata and sessilifolia	20 20	1 00	8 00 8 00	
Vinca minor. Strong	20	1 00	8 00	
pedata	20	1 00	8 00	
pedata bicolorrotundifolia	30 20	1 75	8 00	
sagittata	20	1 00		
*Xerophyllum asphodeloides	35 10	2 00 40	15 00 3 00	20 0
Yucca filamentosa. 2-yr. seedlings *fiaccida	20	1 00	8 00	60 0
*glauca	25	1 50	12 50	

#### Catalog of HIGHLANDS NURSERY

# Rhododendrons and Mountain Laurel "COLLECTED" CLUMPS BY THE CARLOAD

Delivered at your station. To be shipped from point determined by me

For the area covered and effect produced, a carload of Rhododendrons or Kalmias, offered below, is the cheapest landscape proposition offered. I ship an unusual grade of splendid clumps, each plant a specimen and burlaped separately. Don't accept cheap stock, thrown into ears without burlaping, and with the fine, hair-like rootlets inevitably exposed. You will be disappointed and find it expensive in the end. While fine results may be had from "collected" Rhododendrons, particularly if purchased from a reliable source, where greatest care is used in digging and handling, results are never so sure as when nursery-grown stock is used.

#### Rhododendron catawbiense "Collected"

Each plant collected from the open. Prices, delivered f. o. b. your station, if east of the Mississippi River. These prices are net and subject to no discount. Burlaping is not charged extra on these special car offers.

Car containing 200	elumps, 1 to	31/2	ft., fo	or							\$ 280	00
Car containing 300	clumps, 1 to	31/2	ft., fo	or							 380	00
Car containing 400	clumps, 1 to	31/2	ft., fe	or							 480	00
Car containing 600	clumps, 1 to	31/2	ft., fo	)r						. 1	 600	00
Othor	aambination	and	oigon	amoi	had	on	move	NEED	int			

Other combinations and sizes quoted on request.

## Rhododendron maximum "Collected" Clumps

Prices in carload lots, delivered f. o. b. your station, if east of the Mississippi River. Collected from open ground. These prices are net and subject to no discount. Burlaping is not charged extra on these special car offers.

Car containing	300 clumps.	1½ to 4 ft., for\$300	00
Car containing	400 clumps,	1½ to 4 ft., for	00
Car containing	600 clumps,	1½ to 4 ft., for 500	00

Other sizes or combinations will be made up to suit customers. It is far cheaper to buy my kind at slightly increased price, and have plants that will grow.

## Rhododendron maximum and R. catawbiense "Collected" Clumps by the carload

Mixed cars, delivered free at any station east of the Mississippi River. These prices are net and subject to no discount. Burlaping is not charged extra on these special car offers.

Car containing 150 maximum and 150 catawbiense, collected as above. 1½ to 4 ft., clumps,—total of 300—for \$400. Car containing 250 maximum and 250 catawbiense, 1½ to 4 ft., clumps,—total of 500—for \$550.

#### Kalmia latifolia (Mountain Laurel)

"Collected" Clumps by the Carload

Highest-class clumps collected from the open, delivered free at your station, if east of the Mississippi River. These prices are net and subject to no discount. Burlaping is not charged extra on these special car offers.

Car containing 400 clumps, 1 to 3½ ft., for \$375. Kalmia may be added to help fill any Rhododendron car at 90 cts. per clump, not less than 100 clumps in shipment.

The above "Carload" offers are made with a view of furnishing a variety of sizes that will permit of naturalistic grouping.

Have your clumps burlaped. It is the only proper way to handle specimen plants. See next page for cost

#### Catalog of HIGHLANDS NURSERY

## "Collected" Rhododendrons and Kalmia by the 100 and 1.000

The number that may be shipped in a car varies largely, depending on sizes. The minimum weight allowed per car is 16,000 pounds, with a freight rate from my Highlands Nursery to Baltimore of \$84. New York \$88, and Boston \$96.

freight

an Boston 596.

A car may easily be loaded much heavier, with proportionate increased eight charge, but not increasing the cost per plant.

A full car travels with greater safety than one with a small load.

All "Clumps" offered below are collected with a good ball and are burlaped separately.

Burlaping is charged at cost, as below. clumps unless expressly ordered otherwise. below. We always burlap

#### PRICES OF "COLLECTED" CLUMPS OF RHODODENDRONS AND KALMIAS

Rhododendron catawbiense. Each	10	100 1.000
1 to 2 ft., "collected" cl\$1 50	\$10 00	\$80 00 \$700 00
2 to 3 ft., "collected" cl 2 00	15 00	130 00 1,000 00
3 to 4 ft., "collected" cl 3 00	25 00	220 00
4 to 5 ft., "collected" cl 5 00	40 00	350 00
maximum. The Great American Rosebay.		
1 to 2 ft., "collected" cl 1 25	8 00	70 00 650 00
2 to 3 ft., "collected" cl 2 00	12 50	100 00 850 00
3 to 4 ft., "collected" cl 2 75	20 00	160 00 1.400 00
4 to 5 ft., "collected" cl 4 00	30 00	275 00 2,500 00
5 to 6 ft., "collected" cl 6 00	50 00	400 00
6 to 7 ft., "collected" cl 8 00	65 00	540 00
Kalmia latifolia. Mountain Laurel.		
1 to 2 ft., "collected" cl	7 00	60 00 550 00
2 to 3 ft., "collected" cl	12 50	100 00 850 00
	17 50	150 00 1,300 00

#### BURLAPING

It always pays to burlap the larger sizes of trees and shrubs, especially evergreens, even if planted the same day. No charge is made for burlaping single plants as quoted. Otherwise burlaping is charged as follows:

2 to 3 ft., clumps and trees, 5 cents each
3 to 4 ft., clumps and trees, 7 cents each
4 to 6 ft., clumps and trees, 8 cents each
6 to 8 ft., clumps and trees, 10 cents each
and larger sizes in proportion. Unless instructed to the contrary, I assume customers desire proper burlaping, which will be added to the invoice.

#### **TERMS**

**Terms** cash, or satisfactory references from unknown parties. Accounts due the first of each month, unless by special arrangement. 5 at 10 rates; 50 at 100 rates; 500 at 1,000 rates.

**Prices Quoted** are for grades as specified. For extra selection an extra charge is made to fit the value of the plants.

Send Foreign Remittances by Postal Money Order, drawn Salem, Mass., post office; or by New York or Boston Exchange. American dollar equals four shillings, four marks or five francs.

Packing charges, except burlaping, free, at prices in this catalog for shipment by freight or express. Team and auto delivery to North Shore or Boston points at reasonable cost.

#### **GUARANTEE**

No guarantee, expressed or implied, is made that stock will grow whether

No guarantee, expressed or implied, is made that stock will grow whether planted by me or not.

Having no control over after treatment of plantings, or over weather conditions, it is obvious that purchaser must assume all responsibility after delivery in good condition.

All shipments travel at consignee's risk, and transportation companies must be held liable for damage in transit.

Claims for errors must be made on receipt of goods. If there is any mistake or fault on my part it will gladly be rectified.

Landscape Forestry. Evergreen seedlings and transplants in large quantities are grown at both nurseries in the choicest species. We do Landscape Forestry, treating woodlands from a Landscape standpoint as well as for commercial uses. Mr. Kelsey is open for consultations and engagements. Always address,

#### HARLAN P. KELSEY, Owner

Office, 209a Washington St. Telephone Connections

Salem, Mass.